





SOSIL

PANORAMICHE PANORAMICHE ARTIGIANALITÀ

UTILIZZO

TAZION

HITTICIC TO A

FAMIGL

**CATERO** 

ESPERIENTA

TERRITORIO PROGETTUALE

HUTHUS HUS

KITTIRITIK MASSIMA CLIEDTE SURATUA S S MATERIA NTA S MATERIA NTA S MATERIA S MATERIA S MATERIA NTA S MATERIA S MATER

TEST

E MAND

L'AMBIENT

NATELLI

PPARELLE

ETISKI IOR



## TECHNICAL CATALOGUE

A complete range of insect screens, designed to meet your every protection, privacy and design need.

We offer fixed and mobile solutions for doors, windows, and large openings, with or without floor-mounted guides.

Models available in manual or motorised versions. Ideal for making the most of every space in your home. EFFETRADE

## Insect screens for DOORS D

## Insect screens for WINDOWS

- - Insect screens

126	SVINCOLA	
	SVINCOLA	
129/	SVINCOLA	

## Insect screens PROFILES AND PREPARATION

138	One 50
	One 80
146	PROFILE FOR FRONT APPLICATION
	PROFILES USED

## <F

- R1T vertical spring with telescopic guides
  R1/C1 vertical spring
  RETRACTABLE 45V
  RETRACTABLE 50R1
  R4/C4 traditional chain
  RETRACTABLE 50R4 chain control
  R5/C5 trad. chain with telescopic guides
  R6/C6 traditional spring with ratchet
  RETRACTABLE 50R 6 with ratchet
  RETRACTABLE 50 with brush
  R7/C7 vertical spring with ratchet
  and telescopic guides
  R-EASY/C-EASY vert. spring with chain
  SMALL1
  SMALL6

## FIXED

132	FIXED
	<b>FIXED Horizontal</b>
133	FIXED Vertical
134	LEGO

148 | AVAILABLE COLOURS 149 | AVAILABLE MESH **150 | AVAILABLE FABRICS** 




E EFFETRADE



## FEATURES

## **BOX/FOOTPRINT**






Soft close



TOP of the range product



Patent



E EFFETRADE

## Insect screens for DOORS

All our models are studied and designed to guarantee technology, protection, and easy use, without sacrificing smooth style

8 | FREE+ 13 | FREE+ retractable 50 14 | FREE+ retractable 80

18 | FREE 20 | FREE+ retractable 50 22 | FREE+ retractable 80

24 | FEEL POWER

30 | FEEL 33 | FEEL+ retractable 50 34 FEEL+ retractable 81

36 | PLEAT 22 L

38 | PRIME SIDE 40 | PRIME side 145 42 | PRIME side 150

- 44 | R2/C2 side
- 46 | R2B with low guide
- 48 | RETRACTABLE 45L 50 | RETRACTABLE 50L
- 52 | R10/C10 side spring, central opening
- 54 | R10B side spring, central opening
- 56 | SMALL 2 side spring
- 58 | SMALL 10 side spring







## Modular side-sliding insect screen

barrier-free, lightweight and silent

Suitable for: doors, French windows and large openings Slide: side

**Opening system:** magnet, the handle bar locks at any point.

Attachment system: bayonet

Footprint: 50 mm

**Modular:** possibility to fit infinite modules side by side. Single module coverage: L 200 cm

**Note:** It can be developed as a ready-assembled kit in practical packaging containing profiles, mesh, and pre-loaded spring.

For the two-sash version, the chain is standard.

## FREE+

Art. no. FREE+

Free+ retractable insect screen with preparation profiles 50 Art. no. 050+ (see page 138)

## Free+ retractable insect screen with preparation profiles 80

Art. no. 080+ (see page 142)



International Patent

MULTI SASH VERSION OPTIONS









Max. single module width 2 m





## Guided opening

New system mechanics smoothly accompany opening and closure at every point of movement



## barrier free

Ultra-low ground guide (3 mm high, 12 mm wide) for obstacle-free passage. Ideal for high-traffic areas, it also ensures maximum accessibility for children, wheelchair users and pushchairs.




## top and bottom **bolt**

The bolt, which is present in both the top and bottom sections, ensures maximum insect screen stability. It firmly locks the sash without compromising the threshold, ensuring practical, reliable daily use.


## mesh recovery

In the event of accidental bumps or the mesh coming loose, the system allows automatic recovery by simply opening and closing the insect screen.




## **OVERALL DIMENSIONS** *FREE+*

HORIZONTAL SECTION



## VERTICAL SECTION



## FREE+


OPENING SIZE The insect screen will be supplied **2 mm** less than the opening width

## FINISHED SIZE


The insect screen will be supplied in the same size as specified in the order.

## **OVERALL DIMENSIONS** FREE+ retractable 50

## HORIZONTAL SECTION



## VERTICAL SECTION




## O50+

## **OPENING SIZE**


The insect screen will be supplied in a larger size: width (+ 80 mm) and height (+ 65 mm) than the opening

## **FINISHED SIZE**

The insect screen will be supplied in the same size as specified in the order. Ш Ш Ш



## VERTICAL SECTION



## 080 +

**OPENING SIZE** 

The insect screen will be supplied in a larger size: + 80 mm in width and + 10 mm in

height than the opening

## FINISHED SIZE

The insect screen will be supplied in the same size as specified in the order.

RECOMMENDED SIZE (cm)	LMAX	ΗΜΑΧ
1 SASH	200	500

11 The height must always exceed the width by at least 20 cm


## ACCESSORY COLOURS

BLACK | WHITE | IVORY | BROWN | BRONZE


## STANDARD Matching the insect screen

Unless otherwise specified when ordering, accessories are supplied in the colour that best matches the insect screen, chosen from the 5 available colours shown in the table. The combination is defined by our technical department.

## **AVAILABLE FABRICS**



## STANDARD ACCESSORIES



HERMETIC CHAIN



COMPENSATION SLEEVE N.B. OPTIONAL only FREE+ non-retractable version



SLEEVE FOR PROFILE 50 standard for O50+ only



SLEEVE FOR PROFILE 80 standard for O80+ only



CENTRAL REBATE OF DOUBLE SASH WITH BOLT CATCH AND ADJUSTABLE HEADER BAYONET

FAS.

Horizontally banded fibreglass screen in black and white 18x16 mesh

Ш  $\boldsymbol{\gamma}$ 

## **SPRING ADJUSTMENT**


**FREE+** allows you to adjust the mesh tension and *increase or decrease the opening and closing resistance* even after installation, simply using a 4 mm hex-head key intervening directly under the lower header of the mesh holder



## **TYPES OF OPENING**

## MODULAR

FREE+ allows endless modules to be assembled, joined by magnet, and they can be opened as required, regardless of the position of the individual module, or packed away as desired





## ASYMMETRICAL SASHES FREE+ allows asymmetrical sashes

that can be opened at will




## SIDE OPENINGS FREE+ allows side openings with locking in the centre



**CENTRAL OPENING** 

FREE+ allows central opening with locking at the sides



# DOOR RANGE

## FREE+

## **AVAILABLE COLOURS**







GRA<br/>GREY<br/>RaphaelR726<br/>RENOLIT LightGMA<br/>GREY<br/>BushhammeredDW16<br/>RENOLIT DarkARG<br/>SILVER<br/>OxidisedMD37<br/>WALNUT Dark<br/>RoughBRO<br/>BRONZE<br/>OxidisedMD37<br/>WALNUT Dark<br/>RoughBRO<br/>BRONZE<br/>OxidisedC317R<br/>FlamedCiler<br/>Royal CHERRY

## WOOD

17





FREE

**Modular side-sliding insect screen** up to 5 metres high, extraordinarily light and quiet

Suitable for: doors and French windows Slide: side

Winding: spring

Opening system: magnet

Attachment system: bayonet

**Modular:** possibility to fit infinite modules side by side. A single module can cover L 160 cm

Footprint: 47 mm


**Notes:** It can be developed as a ready-assembled kit in practical packaging containing profiles, mesh and pre-loaded spring.






## WOOD





## HORIZONTAL SECTION | SINGLE SASH



## **STANDARD ACCESSORIES**





STANDARD BAYONET





ADJUSTABLE BAYONET

COMP. SLEEVE TOP PROFILE

RECOMMENDED SIZE (cm)	LMAX	H MAX
1 SASH	160	500

## ACCESSORY COLOURS

BLACK STANDARD WHITE | IVORY | BROWN | BRONZE

## Available to match the insect screen on request

Accessories are supplied in black as standard. On request, a customised colour can be chosen from the 4 available colours listed above, specifying this when ordering (price surcharge).

## **AVAILABLE FABRICS**

NER.


Black fibreglass net **18x16 mesh** 







Look out black fibreglass net with high transparency



## **SPRING ADJUSTMENT**

FREE allows you to adjust the tautness of the mesh and increase or decrease the opening and closing resistance even after installation, simply using a 4 mm hex-head key directly under the lower header of the mesh holder



### PLEASE SPECIFY AT THE TIME OF ORDER: Į.


For the product to function, the height must exceed the width by at least 15 cm. In the multi-module version, 2 sqm must be added to the minimum billing for each additional sash.

## **VERTICAL SECTION**

FAS.

Horizontally banded fibreglass screen in black and white 18x16 mesh

Ш Ш





## **F**REE

## **RETRACTABLE 50**

Retractable version of the FREE system with preparation profile 50×40 and upper coupling sleeves already prepared

Suitable for: doors and French windows
Slide: side

Winding: spring

Opening system: magnet

Attachment system: bayonet

**Modular:** possibility to fit infinite modules side by side. A single module can cover L 160 cm

Footprint: 50 mm

**Notes:** It can be developed as a readyassembled kit in practical packaging containing profiles, mesh and pre-loaded spring.






## WOOD



## **VERTICAL SECTION**






## **STANDARD ACCESSORIES**







SLEEVE FOR PROFILE 50



STANDARD BAYONET

OPTIONAL

HANDLE



Ţ.



## SPRING ADJUSTMENT

ADJUSTABLE BAYONET

FREE allows you to adjust the mesh tension and *increase or decrease the opening and closing resistance* even after installation, simply using a 4 mm hex-head key intervening directly under the lower header of the mesh holder



RECOMMENDED SIZE (cm)	LMAX	ΗΜΑΧ
1 SASH	160	500

## ACCESSORY COLOURS

BLACK STANDARD WHITE | IVORY | BROWN | BRONZE

### Available to match the insect screen on request

Accessories are supplied in black as standard. On request, a customised colour can be chosen from the 4 available colours listed above, specifying this when ordering (price surcharge).

## **AVAILABLE FABRICS**

NER.

Black fibreglass net **18x16 mesh** 







ANOR.



fibreglass net in black and white 18x16 mesh

FAS.

Horizontally banded

5

## PLEASE SPECIFY AT THE TIME OF ORDER:

For the product to function, the height must exceed the width by at least 15 cm. In the multi-module version, 2 sqm must be added to the minimum billing for each additional sash.


## if you indicate the opening size:

The insect screen will be supplied in a larger width (+ 80 mm) and height (+ 65 mm) than the opening

## if you indicate the finished size:

The insect screen will be supplied in the same size as specified in the order.

ш





## FREE

## **RETRACTABLE 80**

Retractable version of the FREE system with preparation profile 80×40 and upper latching sleeves already prepared

Suitable for: doors and French windows
Slide: side

Winding: spring

Opening system: magnet

Attachment system: bayonet

**Modular:** possibility to fit infinite modules side by side. A single module can cover L 160 cm

Footprint: 80 mm

**Notes:** It can be developed as a readyassembled kit in practical packaging containing profiles, mesh and pre-loaded spring.






## WOOD



## HORIZONTAL SECTION



## **STANDARD ACCESSORIES**



STANDARD







SLEEVE FOR PROFILE 80



ADJUSTABLE BAYONET

## **SPRING ADJUSTMENT**

FREE allows you to adjust the tautness of the mesh and increase or decrease the opening and closing resistance even after installation, simply using a 4 mm hex-head key directly under the lower header of the mesh holder



RECOMMENDED SIZE (cm)	L MAX	H MAX
1 SASH	160	500

## ACCESSORY COLOURS

BLACK STANDARD WHITE | IVORY | BROWN | BRONZE

## Available to match the insect screen on request

Accessories are supplied in black as standard. On request, a customised colour can be chosen from the 4 available colours listed above, specifying this when ordering (price surcharge).

## **AVAILABLE FABRICS**

NER.

Black fibreglass net **18x16 mesh** 










Look out black fibreglass net with high transparency

## VERTICAL SECTION





PLEASE SPECIFY AT THE TIME OF ORDER:

Ţ.

For the product to function, the height must exceed the width by at least 15 cm. In the multi-module version, 2 sqm must be added to the minimum billing for each additional sash.

### if you indicate the opening size:

The insect screen will be supplied with increased dimensions in width (+ 80 mm) and height (+10 mm) of the opening

## if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order. EFFETRADE

Т

**TECHNICAL CATALOGUE 2025** 

FAS.

Horizontally banded fibreglass screen in black and white 18x16 mesh



Т

ш

EFFETRAD

POWER **Motorised insect screen** 

Side sliding insect screen, in an electric version, with minimalist, linear design profiles

Suitable for: large spaces and frequently used areas

Slide: electric side. Opening up to 2 metres per sash.

Winding: spring

Opening system: push-button, photocell and/or radio control

Attachment system: bayonet

Footprint: 50 mm

Notes: 4 mm floor guide







C317R CHERRY Flamed

CIER Royal CHERRY


24







TECHNICAL CATALOGUE 2025



Max. single module width 2 m



## Integrated technology

FEEL Power is designed for maximum technology in a minimum space.





## footprint **5 cm**

Feel Power's design focus was on style, technical functionality and integrated technology. Allowing for an opening of 200 cm per individual module, all enclosed in a total footprint of 5 cm.



## opens in **4 seconds**

The architecture of Feel Power, combined with its powerful integrated motor, aided by a patented belt system allows the sashes to open and close immediately.

# E EFETRADE


# TECHNICAL CATALOGUE 2025

## anti-tripping threshold

At only 4 mm thick, the floor guide eliminates architectural barriers and allows for trip-free passage.


## anti-bug chain

The chain design prevents unwanted insects from entering the room.




## **OVERALL DIMENSIONS**

HORIZONTAL SECTION



## VERTICAL SECTION



EFFETRADE

Т

**TECHNICAL CATALOGUE 2025** 

RECOMMENDED SIZE (cm)	LMAX	H MAX
1 SASH	200	250
2 SASHES	400	250

11 The height must always exceed the width by at least 20 cm

## **ACCESSORY COLOURS**

BLACK | WHITE | IVORY | BROWN | BRONZE

### STANDARD Matching the insect screen

Unless otherwise specified when ordering, accessories are supplied in the colour that best matches the insect screen, chosen from the 5 available colours shown in the table. The combination is defined by our technical department.

## **AVAILABLE FABRICS**



## STANDARD ACCESSORIES

fibreglass net

18x16 mesh





RETRACTABLE GUIDE

FLOOR GUIDE



fibreglass net with

high transparency

STRIKER PROFILE







INSPECTION CASING







RADIO CONTROL

TRANSFORMER

220V SENSOR

BATTERY CHARGER

BATTERY

BUTTON

29








FEEL Art. no. FEEL

FEEL retractable 50 Art. no. 050F

FEEL retractable 81 Art. no. O81F



See more online



岱 FE3L

Manual side insect screen, ideal for large openings, with minimalist, linear design profiles

Suitable for: large spaces and frequently used areas Slide: side Winding: spring Types of opening: Opening up to 2 metres per sash Attachment system: bayonet Footprint: 53 mm Notes: 4 mm floor guide



### WOOD



ш







Max. single module width 2 m

## **OVERALL DIMENSIONS** FEEL

HORIZONTAL SECTION



VERTICAL SECTION





## **OPENING SIZE**


The insect screen will be supplied **2 m** less than the opening width

## **FINISHED SIZE**


The insect screen will be supplied in the same size as specified in the order.

## **OVERALL DIMENSIONS** FEEL retractable 50

HORIZONTAL SECTION



VERTICAL SECTION





## 050F

## **OPENING SIZE**


the insect screen will be supplied in a larger size: width (+ 100 mm) and height (+ 50 mm) than the opening

## FINISHED SIZE


The insect screen will be supplied in the same size as specified in the order. FEEL RETRACTABLE 50

#### **OVERALL DIMENSIONS** FEEL retractable 81

#### HORIZONTAL SECTION



#### VERTICAL SECTION





## 081F

#### OPENING SIZE the insect screen will be supplied in a larger size: width (+ 80 mm) and height (+ 10 mm) than the opening

#### **FINISHED SIZE**

the insect screen will be supplied in the same size as specified in the order.

RECOMMENDED SIZE (cm)	LMAX	ΗΜΑΧ
1 SASH	200	350
2 SASHES	400	350

The height must always exceed the width by at least 20 cm

#### ACCESSORY COLOURS

1

#### BLACK | WHITE | IVORY | BROWN | BRONZE

#### STANDARD Matching the insect screen

Unless otherwise specified when ordering, accessories are supplied in the colour that best matches the insect screen, chosen from the *5 available colours shown in the table*. The combination is defined by our technical department.

#### AVAILABLE MESH



#### **STANDARD ACCESSORIES**



ANTI-BUG CHAIN

WIND-TIGHTNESS

Thanks to the windproof buttons, the mesh always remains inside the airtight chain.



ADJUSTABLE TOP PROFILE

The internal guide allows compensation of out-of-size formats up to a maximum of 8 mm.

35



ADJUSTABLE BAYONET

Combined with a striker profile (on request), it is possible to compensate for a lateral offset of up to 10 mm.




WINDING SLEEVE

Only available for 81 retractable version



UPPER GUIDE SLEEVE Only available for retractable version 50

EEL RETRACTABLE 81



#### PLEAT22 L Art. no. **PL22L** MULTI SASH VERSION OPTIONS







Side pleated insect screen, ideal for small spaces with a floor guide of only 6 mm for unhindered passage



## EFFETRADE Ш

## pleat<sub>22</sub>L

Suitable for: doors and French windows

#### Slide: side

It is possible to have the multi sash version with central, asymmetrical or two-way closure.

Opening system: magnet, the handle bar locks at any point.

Attachment system: bayonet

#### Footprint: 22 mm

Notes: 6 mm high floor guide. Cords already connected and pre-installed.

#### 36

Matt

AVO


Matt

MAR


**GR16** 

Matt

NFR



#### **VERTICAL SECTION**



# TECHNICAL CATALOGUE 2025

**DOOR** RANGE

oleat 22

RECOMMENDED SIZE (cm)	L MAX	H MAX
1 SASH	250	295

#### ACCESSORY COLOURS

BLACK Accessories are only available in black.

#### AVAILABLE MESH

STANDARD Pleated grey fibreglass net with pleats: 15 mm



PLEASE SPECIFY AT THE TIME OF ORDER:


Į.

#### if you indicate opening SIZE:

The insect screen will be supplied 2 mm less than the opening width

#### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.





**PRIME Side** Art. no. **PL50** 

MULTI SASH VERSION OPTIONS ASYMMETRICAL SASHES CENTRAL OPENING

Side-sliding insect screen with great fluidity of manoeuvre thanks to the anti-flex profile

### PRIME

#### SIDE

Suitable for: doors

Sliding: lateral with anti-flex profile. It is possible to have the two-sash version with central or asymmetrical closure.

Winding: spring

Opening system: magnet

Box: 50 mm

Footprint: 52

Notes: Floor guide only 2 cm high. It allows the same control bar to be used in the double-sash version, one equipped with a retractable ratchet for the fixed side and the other, magnetic for the movable side, thus achieving perfect symmetry of the uprights.





#### **HORIZONTAL SECTION**




#### **STANDARD ACCESSORIES**



GUIDE LOWERED BY 2 cm









SCROLL WHEEL

PRIME HANDLE INSIDE



TELESCOPIC SLEEVE

PRIME HANDLE OUTSIDE



SOFT CLOSE The brake system controls the rewinding of the sheet, slowing the upward

movement smoothly. MAX. WIDTH 150 CM

RECOMMENDED SIZE (cm)	L MAX	H MIN	ΗΜΑΧ
1 SASH	180	150	280

#### ACCESSORY COLOURS

BLACK | WHITE | IVORY | BROWN | BRONZE

#### STANDARD Matching the insect screen

Unless otherwise specified when ordering, accessories are supplied in the colour that best matches the insect screen, chosen from the 5 available colours shown in the table. The combination is defined by our technical department.

#### **AVAILABLE MESH**








ANOR.

FAS.

Horizontally banded fibreglass net in black and white 18x16 mesh

Ţ

#### **VERTICAL SECTION**



PLEASE SPECIFY AT THE TIME OF ORDER: > The fixed side of the box seen from inside

> In the two-sash version the fixed side of the ratchet

#### if you indicate opening size:

The insect screen will be supplied 2 mm less than the opening width

#### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.





#### PRIME Side retractable 145 Art. no. PL145

PRIME RETRACTABLE 2-sided profile Art. no. 050PL (see page 139)

**PRIME RETRACTABLE 2-sided profile** Art. no. **080PL** (see page 143)

PRIME RETRACTABLE 3-sided profile Art. no. 3L50P (see page 140)

PRIME RETRACTABLE 3-sided profile Art. no. 3L80P (see page 144)





**Side spring-loaded insect screen** with anti-flex profile and 45 mm box for concealed installation

### PRiME

SIDE RETRACTABLE 145

Suitable for: doors

Sliding: side, smooth manoeuvring thanks to anti-flex profile. It is possible to have the two-sash version with central or asymmetrical closure.

Winding: spring

Opening system: magnet

**Box:** 45 mm footprint for concealed installation

Footprint: 45 mm

Notes: Floor guide only 2 cm high






m ui


ш



#### HORIZONTAL SECTION




#### VERTICAL SECTION



#### **SIDE FASTENING**

HORIZONTAL SECTION



#### **STANDARD ACCESSORIES**








GUIDE RIB. 2 cm

HANDLES PRIME SCROLL WHEEL

SOFT CLOSE



RECOMMENDED SIZE (cm)	L MAX	H MIN	Н МАХ
1 SASH	180	150	280

#### ACCESSORY COLOURS

BLACK | WHITE | IVORY | BROWN | BRONZE

#### STANDARD Matching the insect screen

Unless otherwise specified when ordering, accessories are supplied in the colour that best matches the insect screen, chosen from the 5 available colours shown in the table. The combination is defined by our technical department.

#### **AVAILABLE MESH**






ANOR.







VERTICAL SECTION





#### PLEASE SPECIFY AT THE TIME OF ORDER: > The fixed side of the box seen from the inside

> The fixed side of the ratchet in the two-sash version

#### if you indicate opening size:

The insect screen will be supplied in a larger width (+80 mm) and height (+ 35 mm) than the opening

#### if you indicate the finished size:

The insect screen will be supplied in the same size The insect screen will be supplied, as standard, with brackets for front fastening. When determining the above measurements, the dimensions in mm of the fixing brackets are not taken into account.





#### PRIME Side retractable 150 Art. no. PLI50



Side spring-loaded insect screen with anti-flex profile and 50 mm box for concealed installation

ш

## PRIME

SIDE RETRACTABLE I50

Suitable for: doors

**Sliding:** side, smooth manoeuvring thanks to anti-flex profile. It is possible to have the two-sash version with central or asymmetrical closure.

Winding: spring

Opening system: magnet

**Box:** 50 mm size for concealed installation

**Size:** 50 mm

Notes: Floor guide only 2 cm high







#### WOOD



#### **FRONT FASTENING**




#### VERTICAL SECTION




#### SIDE FASTENING

HORIZONTAL SECTION



#### **STANDARD ACCESSORIES**





HANDLES PRIME SCROLL WHEEL



SOFT CLOSE

The brake system controls the rewinding of the frame, slowing the upward movement smoothly. MAX. WIDTH 150 CM

RECOMMENDED SIZE (cm)	LMAX	H MIN	H MAX
1 SASH	180	150	280

#### ACCESSORY COLOURS

BLACK | WHITE | IVORY | BROWN | BRONZE

#### STANDARD Matching the insect screen

Unless otherwise specified when ordering, accessories are supplied in the colour that best matches the insect screen, chosen from the 5 available colours shown in the table. The combination is defined by our technical department.

#### **AVAILABLE MESH**



Black fibreglass net **18x16 mesh** 



Look out black fibreglass net **with** high transparency

ANER.

Horiz fibreg black 18x16



Horizontally banded fibreglass net in black and white 18x16 mesh

43

## [î]

PLEASE SPECIFY AT THE TIME OF ORDER: > The fixed side of the box seen from inside.

> In the two-sash version the fixed side of the ratchet

#### if you indicate opening size:


The insect screen will be supplied in a larger width (+85 mm) and height (+ 35 mm) than the opening


#### if you indicate the finished size:

The insect screen will be supplied in the same size The insect screen will be supplied, as standard, with brackets for front fastening. When determining the above measurements, the dimensions in mm of the fixing brackets are not taken into account.

## PRÍME RETRACTABLE ISO DOOR RANGE

#### VERTICAL SECTION







EFFETRADE

U



**R2/C2** Box of 50 Art. no. **R2** Box of 38 Art. no. **C2** 

#### Side-sliding mosquito net with magnetic closure and rounded profiles for a modern design

R2/C2


Suitable for: French windows Slide: side Winding: spring Opening system: magnet Box: 50 mm (R2) and 38 mm (C2) Footprint: 52 mm (R2) and 40 (C2) Notes: Windproof button on the sides





#### WOOD





RECOMMENDED SIZE (cm)	L MAX	H MIN	Н МАХ
R2 - 1 SASH 50 Box	180	150	260
C2 - 1 SASH 38 Box	160	150	230

#### ACCESSORY COLOURS

BLACK STANDARD WHITE | IVORY | BROWN | BRONZE

#### Available to match the insect screen on request

Accessories are supplied in black as standard. On request, a customised colour can be chosen from the 4 available colours listed above, specifying this when ordering (price surcharge).





36 mm HIGH GUIDE





TELESCOPIC SLEEVE

EXTERNAL HANDLE SOFT CLOSE

OPTIONAL

The brake system controls the rewinding of the frame, slowing the upward movement smoothly. C2 H MAX 140 cm

#### **AVAILABLE MESH**

STANDARD NOR.



Black fibreglass net 18x16 mesh



ANOR.

FAS. Horizontally banded fibreglass net in black and white 18x16 mesh

Ţ.

PLEASE SPECIFY AT THE TIME OF ORDER:

#### if you indicate opening size:

The insect screen will be supplied 2 mm less than the opening width

#### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

EFFETRADE

Т





R2B

#### WITH LOW RAIL

Suitable for: French windows with high traffic Slide: lateral with anti-flex profile Winding: spring Opening system: magnet Box: 50 mm Footprint: 52 mm Notes: windproof button and 2 cm (H) floor guide with rounded walkable design for easy passage

#### **RAL STANDARD**






#### WOOD



#### **VERTICAL SECTION**





#### **STANDARD ACCESSORIES**





2 cm LOWERED GUIDE



INSIDE HANDLE




TELESCOPIC SLEEVE

WINDPROOF BUTTONS



SOFT CLOSE

The brake system controls the rewinding of the frame, slowing the upward movement smoothly. MAX. WIDTH 150 CM



RECOMMENDED SIZE (cm)	L MAX	H MIN	ΗΜΑΧ
1 SASH	180	150	260

#### ACCESSORY COLOURS

BLACK STANDARD WHITE | IVORY | BROWN | BRONZE

#### Available to match the insect screen on request

Accessories are supplied in black as standard. On request, a customised colour can be chosen from the 4 available colours listed above, specifying this when ordering (price surcharge).

#### **AVAILABLE MESH**









ANOR.

FAS.

Horizontally banded fibreglass net in black and white 18x16 mesh

Į.

#### PLEASE SPECIFY AT THE TIME OF ORDER:

#### if you indicate opening size:

The insect screen will be supplied 2 mm less than the opening width

#### if you indicate finished size:

The insect screen will be supplied in the same size

Specify the opening direction (box side internal view) when ordering.





#### **RETRACTABLE 45L**

Art. no. **145L** 

Built-in 45L 2-sided installation Art. no. 050L Built-in 45L 3-sided installation Art. no. 3L50





CENTRAL OPENING

Recessed, spring-loaded sidescrolling insect screen with 45 mm box, low floor guide and magnetic catch

RETRACTABLE

Suitable for: doors and French windows Slide: side On request, it is possible to have a central opening version with a fixed sash and ratchet control.

Winding: spring

Opening system: magnet

**Box:** 45 mm

Footprint: 45 mm

Notes: windproof button and 2 cm (H) floor guide with rounded walkable design for easy passage






#### WOOD






#### HORIZONTAL SECTION




#### VERTICAL SECTION



#### **SIDE FASTENING**

HORIZONTAL SECTION



#### **STANDARD ACCESSORIES**



GUIDE LOWERED BY 2 CM



SOFT CLOSE

The brake system controls the rewinding of the frame, slowing the upward movement smoothly. MAX. WIDTH 150 CM

RECOMMENDED SIZE (cm)	L MAX	H MIN	ΗΜΑΧ
1 SASH	160	150	260

#### ACCESSORY COLOURS

BLACK Accessories are only available in black.

#### **AVAILABLE MESH**



fibreglass net 18x16 mesh


NER.


Black

fibreglass net 18x16 mesh



ANOR.





PLEASE SPECIFY AT THE TIME OF ORDER: > The fixed side of the box seen from inside > In the two-sash version, please specify the fixed side of the ratchet.

#### if you indicate the opening size:

The insect screen will be supplied in a larger width (+80 mm) and height (+ 35 mm) than the opening


#### if you indicate the finished size:

The insect screen will be supplied in the same size. The insect screen will be supplied, as standard, with brackets for front fastening. When determining the above measurements, the dimensions in mm of the fixing brackets are not taken into account.

FAS.

Horizontally banded

fibreglass net in black and white 18x16 mesh





**RETRACTABLE 50L** Art. no. **I50L** 



MULTI SASH VERSION OPTION



Recessed, spring-loaded sidescrolling insect screen with 50 mm box, low floor guide and magnetic catch

RETRACTABLE **50L** 

Suitable for: doors and French windows

Slide: side

On request, it is possible to have a central opening version with a fixed sash and ratchet control.

Winding: spring

Opening system: magnet

Box: 50 mm

Footprint: 50 mm

Notes: windproof button and 2 cm (H) floor guide with rounded walkable design for easy passage






#### WOOD




#### **FRONT FASTENING**


#### HORIZONTAL SECTION



#### VERTICAL SECTION



#### SIDE FASTENING



#### **STANDARD ACCESSORIES**







GUIDE LOWERED BY 2 CM

WINDPROOF BUTTONS

SOFT CLOSE



Į.

RECOMMENDED SIZE (cm)	L MAX	H MIN	H MAX
1 SASH	180	150	280

#### ACCESSORY COLOURS


BLACK Accessories are only available in black.

#### AVAILABLE MESH



## DO ENING SIZE

VERTICAL SECTION



**ETRACTABLE** 

PLEASE SPECIFY AT THE TIME OF ORDER: > The fixed side of the box seen from inside.


> In the two-sash version, please specify the fixed side of the ratchet

#### if you indicate the opening size:

The insect screen will be supplied in a larger width (+85 mm) and height (+ 35 mm) than the opening

#### if you indicate finished size:

The insect screen will be supplied in the same size. The insect screen will be supplied, as standard, with brackets for front fastening. When determining the above measurements, the dimensions in mm of the fixing brackets are not taken into account. DOOR RANGE





**R10/C10** Box of 50 Art. no. **R10** Box of 38 Art. no. **C10** 

OPENING OPTIONS ON REQUEST



Side spring-loaded insect screen for large openings with fully retractable roller shutters and zero encumbrance

R10/C10

SPRING-LOADED SIDE CENTRAL OPENING

Suitable for: large French windows
Slide: side

On request, it is possible to have an asymmetrical opening version with ratchet control.

Winding: spring.

Opening system: magnet

Box: 50 mm (R10) and 38 mm (C10) Footprint: 52 (R10) and 40 (C10)

**Notes:** windproof button and zero footprint thanks to fully retractable roll-up sashes



ш



RECOMMENDED SIZE (cm)	L MAX	H MIN	H MAX
R10 - 2 SASH 50 Box	300	150	260
C10 - 2 SASH 38 Box	300	150	230

#### ACCESSORY COLOURS

BLACK STANDARD WHITE | IVORY | BROWN | BRONZE

#### Available to match the insect screen on request

Accessories are supplied in black as standard. On request, a customised colour can be chosen from the 4 available colours listed above, specifying this when ordering (price surcharge).

#### **AVAILABLE MESH**





FAS.

53

SOFT CLOSE

The brake system controls the rewinding of the frame, slowing the upward movement smoothly. MAX WIDTH 150 CM (PER SINGLE MODULE)

PLEASE SPECIFY AT THE TIME OF ORDER: > For the asymmetrical sash version, specify the size of the semi-fixed sash where the ratchet will be applied.

**DOOR** RANGE

**R10/C10** 

EFFETRADE

Т


TECHNICAL CATALOGUE 2025

#### if you indicate opening size:

The insect screen will be supplied 2 mm less than the opening width

#### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.









OPENING OPTIONS ON REQUEST

**Side spring-loaded insect screen for large openings** with low guide and fully retractable shutters

**R10B** 

SPRING-LOADED SIDE CENTRAL OPENING AND LOW GUIDE

Suitable for: large French windows Slide: side.

On request, it is possible to have an asymmetrical opening version with ratchet control.

Winding: spring

Opening system: magnet Box: 50 mm

BOX: 50 mm

Footprint: 52 mm

Notes: windproof button, 2 cm low guide and zero footprint thanks to fully retractable roll-up doors





#### WOOD




#### HORIZONTAL SECTION

#### **VERTICAL SECTION**



RIOB



#### **STANDARD ACCESSORIES**







EXTERNAL HANDLE



WIND BUTTONS



TELESCOPIC SLEEVE



SOFT CLOSE

The brake system controls the rewinding of the frame, slowing the upward movement smoothly. MAX. WIDTH 150 CM (PER SINGLE MODULE)

RECOMMENDED SIZE (cm)	LMAX	H MIN	ΗΜΑΧ
2 SASHES	300	150	260

#### ACCESSORY COLOURS

BLACK STANDARD WHITE | IVORY | BROWN | BRONZE

#### Available to match the insect screen on request

Accessories are supplied in black as standard. On request, a customised colour can be chosen from the 4 available colours listed above, specifying this when ordering (price surcharge).

#### **AVAILABLE MESH**









FAS. Horizontally banded fibreglass net in black and white 18x16 mesh PLEASE SPECIFY AT THE TIME OF ORDER: > The fixed side of the box seen from inside.

> In the two-sash version, please specify the fixed side of the ratchet

> For the asymmetrical sash version, specify the size of the semi-fixed sash where the ratchet will be applied.


#### if you indicate opening size:


The insect screen will be supplied 2 mm less than the opening width

#### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

Į.







SMALL2 Art. no. S2

Vers. LOW GUIDE Art. no. **S2GB** 

**Side sliding insect screen** with return spring and magnetic catch

SMALL2 SPRING-LOADED SIDE

Suitable for: French windows Slide: side Winding: spring Opening system: magnet Box: 38 mm Footprint: 40 mm Notes: a version with a 2 cm low guide is available on request






#### WOOD



#### HORIZONTAL SECTION



#### **STANDARD ACCESSORIES**




TELESCOPIC SLEEVE



SOFT CLOSE

The brake system controls the rewinding of the frame, slowing the upward movement smoothly. MAX. WIDTH 150 CM

#### **VERTICAL SECTION**



RECOMMENDED SIZE (cm)	LMAX	H MIN	H MAX	
1 SASH	160	150	250	

ACCESSORY COLOURS

BLACK STANDARD WHITE | IVORY | BROWN | BRONZE

#### Available to match the insect screen on request

Accessories are supplied in black as standard. On request, a customised colour can be chosen from the 4 available colours listed above, specifying this when ordering (price surcharge).

#### **AVAILABLE MESH**







ANOR.

Look out black fibreglass net with high transparency

Horizontally banded fibreglass net in black and white 18x16 mesh

FAS.

Į.

(box side internal view). if you indicate opening size: The insect screen will be supplied 2 mm less than the opening width

#### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

PLEASE SPECIFY AT THE TIME OF ORDER:

> For the low guide version, please

specify the opening direction





SMALL10 Art. no. S10

Vers. LOW GUIDE Art. no. S10GB

**Side sliding insect screen** with return spring and magnetic catch. Suitable for french windows

EFFETRAD

ш

SMALL10

Suitable for: French windows and large openings

Slide: side

Winding: spring

Opening system: magnet

Box: 38 mm

Footprint: 40 mm

**Notes:** the deadbolt system allows one sash to be kept closed while the other is open










#### HORIZONTAL SECTION

#### **VERTICAL SECTION**



#### STANDARD ACCESSORIES




TELESCOPIC SLEEVE

OPTIONAL



The brake system controls the rewinding of the frame, slowing the upward movement smoothly. MAX. WIDTH 150 CM (PER SINGLE MODULE)



RECOMM	IENDED SIZE (	cm)	L MAX	H MIN	H MAX		
2 SASHES			320	150	260		
ACCESSORY COLOURS							
BLACK STANDARD WHITE   IVORY   BROWN   BRONZE							
Available to match the insect screen on request							
Accessories are supplied in black as standard. On request, a customised colour can be chosen from the 4 available colours listed above, specifying this when ordering (price surcharge).							
AVAILABLE MESH							
STANDARD	NOR. Grey fibreglass net 18x16 mesh	fibreç	DR. out grey glass net with transparency		FAS. Horizontally banded fibreglass net in black and white 18x16 mesh		
	NER. Black fibreglass net 18x16 mesh	fibreg	R. out black glass net with transparency				

#### PLEASE SPECIFY AT THE TIME OF ORDER:

Į.

> With low guide, specify the opening direction (box side internal view) and fixed ratchet side when ordering.
> For the asymmetrical sash version, specify the size of the semi-fixed sash where the ratchet will be applied.

#### if you indicate opening size:

The insect screen will be supplied 2 mm less than the opening width

#### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

**DOOR** RANGE

E EFFETRADE

## Insect screens for WINDO

in multiple varieties, colours and accessories.

- 90 92 94

- R1T vertical spring with telescopic guide R1/C1 vert. spring RECESSED 45V RECESSED 50R1 R4/C4 traditional chain RECESSED 50R4 chain control R5/C5 trad. chain with telescopic guides R6/C6 traditional spring loaded with ratchet. RECESSED 50 R6 with ratchet RECESSED 50 with brush R7/C7 vertical spring with ratchet and telescopic guides R-EASY/C-EASY vert. spring loaded chain SMALL1 SMALL6

E EFFETRADE

## UNA

UNA panel Art. no. UNA\_L

UNA retractable 50 Art. no. UNA

UNA retractable 8 Art. no. UNA80

retractable 50 with profiles arranged on 3 sides Art. no. 3V50\_UNA (see p. 136)

UNA retractable 80 with profiles arranged on 3 sides Art. no. 3V80\_UNA (see p. 140)







**UNA panel** Art. no. UNA\_L

**UNA retractable 50** Art. no. UNA

**UNA retractable 80** Art. no. **UNA80** 

**UNA retractable 50** with profiles arranged on 3 sides Art. no. 3V50\_UNA (see page 140)

**UNA retractable 80** with profiles arranged on 3 sides Art. no. 3V80\_UNA (see page 144)



International Patent

Vertical window screen, innovative and versatile, with integrated design and anti-bug guide



WOOD



Ш

Innovative Versatile Practical

Suitable for: windows

Slide: vertical

Winding: spring

Closing system: Push&Close

Box: 45 mm for all versions

Footprint: 50 mm UNA panel 50 mm (ONE retractable 50) 80 mm (ONE retractable 80)

Notes: handle bar with telescopic brush holder to compensate for slight offsets



Bushhammered

See more online

WINDOW RANGE

**UNA** panel



PRODUCT

PLUS

65





## self-supporting **box**

Una does not require the box to be fixed as it is supported by the side guides



#### easy installation

The side guides support the shutter box; once fixed to the walls, all that is needed is to position the box and insert the side guides that support it, without the need for screws.



#### anti-bug guide

The guide is designed to ensure maximum aesthetic results and to prevent unwanted insects from entering the room.


#### push&close system

To open and close the insect screen, the push & close system was chosen, guaranteeing maximum comfort in terms of usability. The handle bar is also equipped with a telescopic brush holder to compensate for small offsets.




#### **UNA panel**

#### **HORIZONTAL SECTION**



#### **VERTICAL SECTION**



Ţ.

Į.

#### PLEASE SPECIFY AT THE TIME OF ORDER:

#### if you indicate opening size:

The insect screen will be supplied 2 mm less than the opening width

#### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

PLEASE SPECIFY AT THE TIME OF ORDER: INSTALLATION ON 3 SIDES

if you indicate opening size:

UNA RETRACTABLE 50 with 3-sided preparation profiles The insect screen will be supplied in a larger width (+ 80 mm) and height (+40 mm) than the opening

UNA RETRACTABLE 80 with 3-sided preparation profiles The insect screen will be supplied in a larger width (+ 80 mm) and height (+40 mm) than the opening

if you indicate the finished size: The insect screen will be supplied in the same size as specified in the order.

EFFETRADE


Т

**TECHNICAL CATALOGUE 2025** 

#### UNA retractable 50


#### HORIZONTAL SECTION

GUIDE 50



#### **VERTICAL SECTION**

GUIDE 50




#### **UNA retractable 80**

#### **HORIZONTAL SECTION**

GUIDE 80

#### **VERTICAL SECTION**

#### GUIDE 80



PLEASE SPECIFY AT THE TIME OF ORDER: UNA retractable

#### if you indicate opening size:

#### **UNA RETRACTABLE 50**

Į.

The insect screen will be supplied in a larger width (+80 mm) and height (+45 mm) than the opening

#### **UNA RETRACTABLE 80**

UNA RETRACTABLE 80 The insect screen will be supplied in a larger width (+80 mm) and height (+10 mm) (please specify if you have different requirements)

if you indicate the finished size: The insect screen will be supplied in the same size as specified in the order.







**CLUMEN** Art. no. **CLUMEN** 



International Patent

New-generation vertical insect screen with **Push&Close fastening** 

## **c**Lumen

Without screws Telescopic Push&Close

Suitable for: windows

Slide: vertical

Winding: spring

Closing system: Push&Close

**Box:** 50 mm

Footprint: 52.8 mm

**Notes:** telescopic guides and telescopic brush holder to compensate for small offsets









#### **STANDARD ACCESSORIES**





INTEGRATED DESIGN





PUSH-FIT ASSEMBLY

SPRING LOADING AND UNLOADING



SOFT CLOSE The brake system controls the rewinding of the frame, slowing the upward movement smoothly. Can be installed on: MIN WIDTH 60 cm

71



The handle bar has an ergonomic shape, a push&close system, and features a design that integrates perfectly with the box, which once closed completes its shape.



### spring **adjustment**

The engineers have not neglected the maintenance aspect. In fact, it will no longer be necessary to remove the insect screen to reload the spring; all that's needed is to remove the cover and reload it using the endless screw.



### telescopic guides

The guides have a telescopic system that compensates for out-of-size formats while maintaining simple, smooth and safe operation.

#### push&close **system**


The push & close system was chosen to open and close the insect screen, guaranteeing maximum comfort in terms of usability. The handle bar is also equipped with a telescopic brush holder to compensate for small offsets.




EFFETRADE

#### **HORIZONTAL SECTION**

#### **VERTICAL SECTION**





RECOMMENDED SIZE (cm)	L MIN	L MAX	H MAX
	60	180	260

#### ACCESSORY COLOURS

BLACK | WHITE | IVORY | BROWN | BRONZE

#### STANDARD Matching the insect screen

Unless otherwise specified when ordering, accessories are supplied in the colour that best matches the insect screen, chosen from the 5 available colours shown in the table. The combination is defined by our technical department.

#### **AVAILABLE FABRICS**

#### STANDARD NOR. Grey fibreglass net 18x16 mesh



Black fibreglass net 18x16 mesh

#### Look out grey fibreglass net **with** high transparency



ANOR.

Look out black fibreglass net with high transparency



Horizontally banded fibreglass net in black and white **18x16 mesh** 



#### PLEASE SPECIFY AT THE TIME OF ORDER:

**if you indicate opening size**: The insect screen will be supplied 2 mm less than the opening width

#### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

# WINDOW RANGE

# LUMEN

### **AVAILABLE COLOURS**





VRA GREEN Raphael Bushhammered Flamed

R726 **RENOLIT** Light DW16 **RENOLIT** Dark MD37 WALNUT Dark Rough R615 WALNUT Rough C317R CHERRY

WOOD

CIER **Royal CHERRY** 

75





**PLEAT22V** Art. no. **PL22V** 

Vertical pleated insect screen with an essential design. 22 mm footprint only with pre-installed ropes

## pleat 22V

Suitable for: windows. Ideal for small spaces

Slide: vertical

Wrapping: pleated net

Locking system: handle bar, stops at any point

Footprint: 22 mm

Notes: no visible external plastic





WOOD






#### **ON REQUEST**



MOVEMENT BAR 60/100 cm on request



**VERTICAL SECTION** 

RECOMMENDED SIZE (cm)	L MAX	ΗΜΑΧ
	200	250

#### ACCESSORY COLOURS

BLACK Accessories are only available in black.

#### **AVAILABLE MESH**





#### PLEASE SPECIFY AT THE TIME OF ORDER:

**if you indicate opening size**: The insect screen will be supplied 2 mm less than the opening width

#### if you indicate finished size:

Į.

The insect screen will be supplied in the same size as specified in the order.

E EFFETRADE

## PRIME

PRIME VERTICAL PANEL Art. no. PV50

50 MM VERTICAL PRIME WITH RATCHET LOCK

PRIME VERTICAL RETRACTABLE 145 Art. no. **P145** 

PRIME - VERTICAL SPRING RECESSED RATCHET 45 Art. no. **PI45C** 

2-sided profile installation Ratchet variant Art. no. 050PC Twist variant Art. no. 050PV

3-sided profile installation Ratchet variant Art. no. 3V50PC Twist variant Art. no. 3V50P

**2-sided profile installation** Ratchet variant Art. no. O80PC Twist variant Art. no. O80PV

3-sided profile installation Ratchet variant Art. no. 3V80P Twist variant Art. no. 3V80P

#### PRIME VERTICAL RETRACTABLE I50 Art. no. **PI50**

PRIME - VERTICAL SPRING WITH RATCHET RETRACTABLE 50 Art. no. **PI50C** 

PRIME VERTICAL WITH TELESCOPIC GUIDE Art. no. PV50-T

PRIME VERTICAL 50 R7/C7 VERTICAL WITH RATCHET AND TELESCOPIC GUIDES Art. no. PVTCR

PRIME VERTICAL WITH CHAIN Art. no. PV50CT





#### PRIME VERTICAL PANEL Art. no. PV50

50 MM VERTICAL PRIME WITH RATCHET LOCK Art. no. PV50C

Vertical, spring-loaded retractable insect screen smooth and manoeuvrable, with 50 mm box

**PR<u>i</u>ME** 

VERTICAL PANEL

Suitable for: windows Slide: vertical Winding: spring Types of opening: Twist/ Ratchet Box: 50 mm Footprint: 52 mm










#### HORIZONTAL SECTION

#### **VERTICAL SECTION**




#### **CLOSURE VARIANTS**



TWIST Art. no. **PV50** 



RATCHET Art. no. **PV50C** 



#### **STANDARD ACCESSORIES**



**TELESCOPIC MESH** 



SLEEVE WELDED AT THE SIDES AND WINDPROOF BUTTONS

RECOMMENDED SIZE (cm)	L MIN	LMAX	ΗΜΑΧ
	60	200	260

#### ACCESSORY COLOURS

BLACK | WHITE | IVORY | BROWN | BRONZE

#### STANDARD Matching the insect screen

Unless otherwise specified when ordering, accessories are supplied in the colour that best matches the insect screen, chosen from the 5 available colours shown in the table. The combination is defined by our technical department.











FAS. Horizontally banded fibreglass net in black and white 18x16 mesh Ţ.



The brake system controls the rewinding of the frame, slowing the upward movement smoothly. Suitable for installation on: MIN WIDTH 60 cm MAX WIDTH 160 cm

**if you indicate opening size**: The insect screen will be supplied 2 mm less than the opening width

#### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

EFFETRADE

Т





#### PRIME VERTICAL RETRACTABLE 145 Art. no. PI45

PRIME - VERTICAL RATCHET SPRING 45 Art. no. PI45C

2-sided profile installation Ratchet variant Art. no. O50PC Twist variant Art. no. O50PV (see p. 139)

3-sided profile installation Ratchet variant Art. no. 3V50PC Twist variant Art. no. 3V50P (see p. 141)

2-sided profile installation Ratchet variant Art. no. 080PC Twist variant Art. no. 080PV (see p. 143)

3-sided profile installation Ratchet variant Art. no. 3V80PC Twist variant Art. no. 3V80P (see p. 145)

Vertical, spring-loaded retractable insect screen with shutter box and 45 mm overall width. Ideal for concealed installation

PRiME

SECTION RETRACTABLE 145

Suitable for: windows Slide: vertical Winding: spring Types of opening: Twist/ Ratchet

Box: 45 mm

Footprint: 45 mm

**Note:** extruded aluminium brackets for side or front mounting






#### WOOD



82



WINDOW RANGE

RIME ad inc. 145

ш

FFETRAD

ш П

**TECHNICAL CATALOGUE 2025** 

The insect screen will be supplied in the same

as standard, with brackets for front fastening.

When determining the above measurements, the dimensions in mm of the fixing brackets

size as specified in the order.

are not taken into account.

The insect screen will be supplied,

#### AVAILABLE MESH







PRIME VERTICAL RETRACTABLE 150 Art. no. PI50

PRIME - VERTICAL RATCHET SPRING 50 Art. no. PI50C

Vertical sliding insect screen spring-loaded with 50 mm box. Ideal for concealed installation.

## PRIME

#### SECTION RETRACTABLE I50

Suitable for: windows Slide: vertical Winding: spring Types of opening: Twist/ Ratchet

Box: 50 mm

Footprint: 50 mm

**Note:** extruded aluminium brackets for side or front mounting








#### front fastening side fastening TT 0 0 **OPENING SIZE OPENING SIZE** 14.7 FINISHED SIZE 35 **FINISHED SIZE VERTICAL SECTION FASTENING BRACKETS VERTICAL SECTION** front fastening side fastening fastening bracket wall striker and top guide (standard, for front fastening) Ć 50 $\cap$ 50 side guide fixing bracket (for side fastening) **DPENING SIZE** FINISHED SIZE OPENING SIZE FINISHED SIZE STANDARD ACCESSORIES LOCKING VARIANTS SOFT CLOSE The brake system controls the rewinding of the frame, slowing the upward movement smoothly. ELECTRIC. WELD. MESH SIDES Can be installed on: MIN WIDTH 60 cm AND ANTIV BUTTONS. RATCHET TWIST MAX WIDTH 160 cm Art. no. **PI50** Art. no. **PI50C** RECOMMENDED SIZE (cm) L MIN L MAX H MAX 60 180 260 ACCESSORY COLOURS PLEASE SPECIFY AT THE TIME OF ORDER: BLACK | WHITE | IVORY | BROWN | BRONZE Ţ. STANDARD Matching the insect screen

HORIZONTAL SECTION

Unless otherwise specified when ordering, accessories are supplied in the colour that best matches the insect screen, chosen from the 5 available colours shown in the table. The combination is defined by our technical department.

#### **AVAILABLE MESH**



FAS. Horizontally banded fibreglass net in black and white 18x16 mesh

#### if you indicate opening size:

The insect screen will be supplied in a larger width (+70 mm) and height (+50 mm) than the opening


#### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

The insect screen will be supplied,

as standard, with brackets for front fastening. When determining the above measurements, the dimensions in mm of the fixing brackets are not taken into account.

#### HORIZONTAL SECTION







PRIME VERTICAL WITH TELESCOPIC GUIDE Art. no. PV50-T

VERTICAL SPRING WITH RATCHET AND TELESCOPIC GUIDES Art. no. PVTCR

Vertical sliding spring-loaded insect screen with 50 mm box and 52 mm overall dimensions.

The double guides solve the offset problem in the opening.

## **PR<u>i</u>ME**

VERTICAL WITH TELESCOPIC GUIDE TELESCOPIC

Suitable for: windows Slide: vertical Winding: spring Types of opening: twist Box: 50 mm Footprint: 52 mm Note: telescopic slides and telescopic hood









#### HORIZONTAL SECTION

## 3

#### **CLOSURE VARIANTS**



TWIST


100

Art. no. **PV50-T** 



RATCHET Art. no. PVTCR

#### **VERTICAL SECTION**



#### **STANDARD ACCESSORIES**



fibreglass net 18x16 mesh



ELECTR. NET TELESCOPIC SLEEVE SIDES AND WINDPROOF BUTTONS



**TELESCOPIC GUIDE** 



SOFT CLOSE The brake system controls the rewinding of the frame, slowing the upward movement smoothly. Can be installed on: MIN WIDTH 60 cm MAX WIDTH 160 cm

**RECOMMENDED SIZE** (cm) L MIN L MAX H MAX 60 200 260 ACCESSORY COLOURS BLACK | WHITE | IVORY | BROWN | BRONZE STANDARD Matching the insect screen Unless otherwise specified when ordering, accessories are supplied in the colour that best matches the insect screen, chosen from the 5 available colours shown in the table. The combination is defined by our technical department. **AVAILABLE MESH** STANDARD NOR. ANOR. FAS. Grey fibreglass net **18x16 mesh** Look out grey fibreglass net **with** high transparency Horizontally banded fibreglass net in black and white 18x16 mesh NER. ANER. Look out black fibreglass net **with high transparency** Black

Į.

PLEASE SPECIFY AT THE TIME OF ORDER:

if you indicate opening size: The insect screen will be supplied 2 mm less than the opening width

#### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.





**PRIME vertical with chain** Art. no. **PV50CT** 

Insect screen with vertical coiling chain, designed for easy opening and closing. 50 BOX

## PR<u>í</u>ME

SECTION WITH CHAIN

Suitable for: windows and doors

Slide: vertical

Winding: chain (right, standard)

Opening system: chain

Box: 50 mm


Footprint: 52 mm

Note: telescopic sleeve










#### **VERTICAL SECTION**




OPTIONAL

#### **STANDARD ACCESSORIES**

fibreglass net 18x16 mesh

NFR.

Black fibreglass net 18x16 mesh



high transparency

ANER. Look out black fibreglass net **with** high transparency

89





**RIT** Art. no. **RIT** 

**Spring-loaded vertical sliding insect screen**, **50 mm box** and double guide to compensate for the offset of the opening.

R1T VERTICAL SPRING WITH TELESCOPIC GUIDES

Suitable for: windows Slide: vertical Winding: spring Types of opening: twist Box: 50 mm Footprint: 52 mm










## D 37

#### **VERTICAL SECTION**



installed up to heights of no more than 140 cm

#### **STANDARD ACCESSORIES**

	:5501	RIES					
1							OPTIONAL
MESH OPIC		SLEEVE SIDES AND WINDPROOF BUTTONS		IS		ELESCOPIC GUIDE The brake system controls th rewinding of the frame, slowi	
ENDED SIZE (	cm)	L MIN	LMAX	ΗΜΑΧ			the upward movement smoothly. L MIN 60 cm
		60	180	260			
match the insec	t screen	on request	d colour can				
NOR. Grey fibreglass net 18x16 mesh NER. Black fibreglass net 18x16 mesh		ANOR. Look out grey fibreglass net with high transparency ANER. Look out black fibreglass net with high transparency		fibreglass net in black and white 18x16 mesh OSCG. Grey black-out	[î]	<b>if you</b> The i less t	SE SPECIFY AT THE TIME OF ORDER: u indicate opening size: insect screen will be supplied 2 mm than the opening width u indicate finished size:
	MESH OPIC ENDED SIZE ( ENDED SIZE ( DRY COLOURS NDARD WHITE IN match the insec supplied in black as st the 4 available colours ). E FABRICS NOR. Grey fibreglass net 18x16 mesh	MESH OPIC ENDED SIZE (cm) DRY COLOURS NDARD WHITE   IVORY   BI match the insect screen supplied in black as standard. On the 4 available colours listed abov ). E FABRICS NOR. Grey fibreglass net IBXI6 mesh	OPIC     WINDPROOF       ENDED SIZE (cm)     L MIN       60       ORY COLOURS       VDARD     WHITE   IVORY   BROWN   BRONZE       match the insect screen on request       supplied in black as standard. On request, a customise       supplied in black as standard. On request, a customise       supplied in black as standard. On request, a customise       supplied in black as standard. On request, a customise       supplied in black as standard. On request, a customise       Supplied in black as standard. On request, a customise       Supplied in black as standard. On request, a customise       Supplied in black as standard. On request, a customise       Supplied in black as standard. On request, a customise       Supplied in black as standard. On request, a customise       Supplied in black as standard. On request, a customise       Supplied in black as standard. On request, a customise       Supplied in black as standard. On request, a customise       Supplied in black as standard. On request, a customise       Supplied in black as standard. On request, a customise       Supplied in black as standard. On request, a customise       Black       Black	MESH OPIC       SLEEVE SIDES AND WINDPROOF BUTTON         ENDED SIZE (cm)       L MIN       L MAX         60       180         ORY COLOURS       ANOR.         WHITE   IVORY   BROWN   BRONZE         match the insect screen on request         supplied in black as standard. On request, a customised colour can the 4 available colours listed above, specifying this when ordering but the insect screen on request.         SURR       WHITE   IVORY   BROWN   BRONZE         supplied in black as standard. On request, a customised colour can the 4 available colours listed above, specifying this when ordering but the insect screen on request.         SURR       NOR.         Grey (breglass net libreglass net libreglass net libreglass net libreglass net       ANOR. Look out grey fibreglass net libreglass net libreglass net libreglass net	MESH OPIC       SLEEVE SIDES AND WINDPROOF BUTTONS         ENDED SIZE (cm)       LMIN       LMAX       H MAX $60$ 180       260         OPIC       WHITE   IVORY   BROWN   BRONZE         CARC COLOURS       WHITE   IVORY   BROWN   BRONZE         MESH dual block as standard. On request, a customised colour can the 4 available colours listed above, specifying this when ordering       FAS.         MOR       Grey fibreglass net listed above, specifying this when ordering       FAS.         MOR       Grey fibreglass net listed above, specifying this when ordering       FAS.         MIR       LOK out grey fibreglass net listed above, specifying this when ordering       FAS.         MIRE       LOK out grey fibreglass net with high transparenery       FAS.         MIRE Block fibreglass net listed mesh       ANCR.       Crey block-out shade in fibreglass for white listed mesh	$\begin{tabular}{ c c c c c c } \hline \begin{tabular}{ c c c c } \hline \begin{tabular}{ c c c c } \hline \begin{tabular}{ c c c c c } \hline \begin{tabular}{ c c c c c c c } \hline \begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	$ \begin{array}{c} \label{eq:result} \label{eq:result} \\ $

EFFETRADE

Ш

91



opening



**R1/C1** Box of 50 Art. no. **R1** Box of 38 Art. no. **C1** 

Vertical sliding spring-loaded insect screen with 50 mm box o 38 mm. Telescopic sleeves for simplified installation

R1/C1 VERTICAL SPRING

Suitable for: windows Slide: vertical Winding: spring Types of opening: twist Box: 50 mm (R1)/38 mm (C1) Footprint: 52 mm (R1)/40 mm (C1)



#### SPECIAL GRA BIRV WHITE Rough GRFY Raphael 9010 GMA BRO37 GRFY BRONZE 37 Bushhammered ARG TDM SILVER Oxidised DARK BROWN BRO GRIAR BRONZE GREY 7001 Oxidised **GRILU** GREY 7035 VER. Green 6005 MRA BROWN Raphael MMA BROWN Bushhammered VRA GREEN Raphael



ш


EFFETRAD

Ш

FFETRADE

ш Π

**TECHNICAL CATALOGUE 2025** 



#### **STANDARD ACCESSORIES**





TELESCOPIC SLEEVE ELECTRIC WELD. MESH SIDES AND WINDPROOF BUTTONS



SOFT CLOSE

The brake system controls the rewinding of the frame, slowing the upward movement smoothly. Can be installed on: Model R1/C1 L MIN 60 cm Model C1 H MAX 140 cm

RECOMMENDED SIZE (cm)	L MIN	L MAX	ΗΜΑΧ
<b>R1 -</b> Box 50	60	180	260
C1 - Box 38	50	180	180

#### ACCESSORY COLOURS

BLACK STANDARD WHITE | IVORY | BROWN | BRONZE

Available to match the insect screen on request

Accessories are supplied in black as standard. On request, a customised colour can be chosen from the 4 available colours listed above, specifying this when ordering (price surcharge).

#### **AVAILABLE MESH AND TEXTILES**









OSC. White black-out shade in fibreglass fabric with PVC lamination transparency 5%



Sand-coloured solar filter fabric made in fibreglass with PVC coating transparency 5%



OSCG. Grey black-out shade in fibreglass fabric with PVC lamination 18x16 mesh




PLEASE SPECIFY AT THE TIME OF ORDER:

if you indicate opening size: The insect screen will be supplied 2 mm less than the opening width

#### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

NB. Blackout and filter screens can be installed up to heights of no more than 140 cm



**VERTICAL SECTION** 

**R**1

50 BOX









#### **RETRACTABLE 45V**

Art. no. **I45V** 

WOOD GUIDE Art. no. **I45WO** 

**FRONT 50** Art. no. **050V** 

**FRONT 80** Art. no. **080V** 

FRONT ON 3 SIDES 50 Art. no. 3V50

FRONT ON 3 SIDES 80 Art. no. 3V80



The retractable insect screen with a vertical spring-loaded winding mechanism and **45 mm** footprint

EFFETRADE

### RETRACTABLE 45V


Suitable for: windows Slide: vertical Winding: spring Types of opening: twist Box: 45 mm Footprint: 45 mm Note: extruded aluminium brackets for side or front

brackets for side or front mounting









RECESSED 45V WOOD GUIDE The insect screen will be supplied in a larger width + 70 mm and in height + 45 mm

RECESSED 45V FROM 50 (2-sided profile installation): The insect screen will be supplied in a larger width (+ 80 mm) and height (+45 mm) than the opening RECESSED 45V FROM 80 (2-sided profile installation): The insect screen will be supplied in a larger width (+ 80 mm) and height (+10 mm) than the opening RECESSED 45V FROM 50 (3-sided profile installation): The insect screen will be supplied in a larger width (+ 80 mm) and height (+40 mm) than the opening RECESSED 45V FROM 50 (3-sided profile installation): The insect screen will be supplied in a larger width (+ 80 mm) and height (+40 mm) than the opening RECESSED 45V FROM 80 (3-sided profile installation): The insect screen will be supplied in a larger width (+ 80 mm) and height (+40 mm) than the opening

if you indicate the finished size: The insect screen will be supplied in the same size as specified in the order.





**RETRACTABLE 50 R1** Art. no. I50R1



The retractable insect screen with a vertical spring-loaded winding mechanism and 50 mm footprint.

### RETRACTABLE 50 R1

Suitable for: windows Slide: vertical Winding: spring Types of opening: Twist Box: 50 mm Footprint: 50 mm Note: extruded aluminium

brackets for side or front mounting





#### WOOD



Ш


50

## FFETRAD ш Π

Ш

#### HORIZONTAL SECTION

#### front fastening




#### **FASTENING BRACKETS**



fastening bracket wall striker and top guide (standard, for front fastening)

side guide fixing bracket (for side fastening)

#### **STANDARD ACCESSORIES**



ELECTRIC. WELD. MESH SIDES AND WINDPROOF BUTTONS



SOFT CLOSE The brake system controls the rewinding of the frame, slowing the upward movement smoothly. L MIN 60 cm

FAS.

OSCG.

Horizontally banded fibreglass net in black and white 18x16 mesh

Grey black-out shade in fibreglass fabric with

PVC lamination 18x16 mesh

RECOMMENDED SIZE (cm)	L MIN	L MAX	H MAX			
	60	180	260			
ACCESSORY COLOURS						
BLACK Accessories are only available in	black.					

#### **MESH AND FABRICS**



White black-out shade in fibreglass fabric with PVC lamination transparency 5%





#### PLEASE SPECIFY AT THE TIME OF ORDER:

#### if you indicate opening size:

Į.

The insect screen will be supplied in a larger width (+70 mm) and height (+50 mm) than the opening

#### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

The insect screen will be supplied, as standard, with brackets for front fastening.

When determining the above measurements, the dimensions in mm of the fixing brackets are not taken into account.

NB. Blackout and filter screens can be installed up to heights of no more than 140 cm

#### **VERTICAL SECTION**


**OPENING SIZE** 


FINISHED SIZE


HORIZONTAL SECTION

side fastening

1.2 35







**R4/C4** Box of 50 Art. no. **R4** Box of 38 Art. no. **C4** 

Insect screen with vertical chain winding. Box of **50 mm** or **38 mm** 

R4/C4

Suitable for: French windows

Sliding: vertical

Winding: chain (right, standard)

Opening system: chain

**Box:** 50 mm (R4)/38 mm (C4)

**Footprint:** 52 mm (R4)/40 mm (C4)








#### **STANDARD ACCESSORIES**



**TELESCOPIC SLEEVE** 



COUPLING/BOLT




ELECTRIC. WELD. MESH SIDES AND WINDPROOF BUTTONS




INTERNAL/EXTERNAL CHAIN









PLEASE SPECIFY AT THE TIME OF ORDER:

The insect screen will be supplied 2 mm less

if you indicate opening size:

if you indicate finished size:

than the opening width

RECOMMENDED SIZE (cm)	L MIN	L MAX	H MAX
<b>R4 -</b> Box 50	60	180	260
<b>C4 -</b> Box 38	40	160	180

#### ACCESSORY COLOURS

#### BLACK STANDARD WHITE | IVORY | BROWN | BRONZE

Available to match the insect screen on request

Accessories are supplied in black as standard. On request, a customised colour can be chosen from the 4 available colours listed above, specifying this when ordering (price surcharge).

#### **AVAILABLE MESH AND TEXTILES**







OSC.

PVC lamination transparency 5%



Look out black fibreglass net **with** high transparency

FIL. White black-out shade in fibreglass fabric with Sand-coloured solar filter fabric made in fibreglass with PVC coating transparency 5%

FAS. Horizontally banded fibreglass net in black and white 18x16 mesh

> OSCG. Grey black-out shade in fibreglass fabric with PVC lamination 18x16 mesh

#### The insect screen will be supplied in the same size as specified in the order. NB. Blackout and filter screens can be installed up to heights of no more than 140 cm

1

N.B. On request, the chain can be installed with a double control that allows movement from both inside and outside. Double control from the same side is only available on 50 mm boxes. If not specified, the chain assembly is installed on the right side as standard.





**RETRACTABLE 50 R4** Art. no. **I50R4** 



## Retractable vertical insect screen with 50 mm box and chain control

RETRACTABLE 50 R4 CHAIN CONTROL

Suitable for: French windows

Sliding: vertical

Winding: chain (RH, as standard)

Opening system: chain

**Box:** 50 mm

Footprint: 50 mm









#### HORIZONTAL SECTION

#### side fastening




#### HORIZONTAL SECTION

front fastening



#### STANDARD ACCESSORIES



ELECTRIC. WELD. MESH SIDES AND WINDPROOF BUTTONS

**RECOMMENDED SIZE** (cm)

L MIN L MAX

180

40

ACCESSORY COLOURS



#### **MESH AND FABRICS**



White black-out shade in fibreglass fabric with PVC lamination transparency 5%



CHAIN CONTROL

ΗΜΑΧ

320




Į.

FAS. Horizontally banded fibreglass net in black and white 18x16 mesh

OSCG. Grey black-out shade in fibreglass fabric with PVC lamination 18x16 mesh

#### VERTICAL SECTION


#### front / side fastening



#### **FASTENING BRACKETS**



top guide (standard, for front fastening)



side guide fixing bracket (for side fastening)

#### PLEASE SPECIFY AT THE TIME OF ORDER:

#### if you indicate opening size:

The insect screen will be supplied in a larger width (+70 mm) and height (+50 mm) than the opening

if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

The insect screen will be supplied, as standard, with brackets for front fastening.

When determining the above measurements, the dimensions in mm of the fixing brackets are not taken into account.


N.B. The chain drive can, on request, be installed on the right or left side of the box.

NB. Blackout and filter screens can be installed up to heights of no more than 140 cm

101

-ABL

WINDOW RANGE



opening



**R5/C5** Box of 50 Art. no. **R5** Box of 38 Art. no. **C5** 

Insect screen with double guide and chain control designed to fit out-of-size window openings

**R5/C5** 

TRADITIONAL CHAIN WITH TELESCOPIC GUIDES

Suitable for: French windows

Sliding: vertical

Winding: chain (RH, as standard)

Opening system: chain

**Box:** 50 mm (R5)/38 mm (C5)

**Footprint:** 52 mm (R5)/40 mm (C5)

**Note:** telescopic slides and telescopic sleeve







#### HORIZONTAL SECTION



**TELESCOPIC GUIDE** 

#### **STANDARD ACCESSORIES**



TELESCOPIC SLEEVE



OUTSIDE/INSIDE CHAIN

RECOMMENDED SIZE (cm)	L MIN	LMAX	ΗΜΑΧ
<b>R5 -</b> Box 50	40	180	260
<b>C5 -</b> Box 38	40	160	180

#### ACCESSORY COLOURS

BLACK STANDARD WHITE | IVORY | BROWN | BRONZE

#### Available to match the insect screen on request

Accessories are supplied in black as standard. On request, a customised colour can be chosen from the 4 available colours listed above, specifying this when ordering (price surcharge).

#### AVAILABLE MESH AND TEXTILES









ANOR.

OSC. White black-out shade in fibreglass fabric with PVC lamination transparency 5%



Look out black fibreglass net with high transparency FAS.

OSCG.

fabric with

PVC lamination 18x16 mesh


Horizontally banded fibreglass net in black and white 18x16 mesh

Grey black-out shade in fibreglass


103

FIL. Sand-coloured solar filter fabric made in fibreglass with PVC coating transparency 5%





#### C5 VERTICAL SECTION 38 BOX



#### PLEASE SPECIFY AT THE TIME OF ORDER:

#### if you indicate opening size:

The insect screen will be supplied 2 mm less than the opening width

#### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

#### N.B.

Blackout and filter screens can be installed up to heights of no more than 140 cm

- On request, the chain can be installed with a double control that allows movement from both inside and outside. Double control from the same side is only available on the R5 model. If not specified, the chain assembly is installed on the right side as standard. ш





**R6/C6** Box of 50 Art. no. **R6** Box of 38 Art. no. **C6** 

Mosquito screen with vertical spring winding and ratchet handle attachment. Box of 50 mm or 38 mm

**R6/C6** 

VERTICAL SPRING WITH RATCHET

Suitable for: windows

Slide: vertical

Winding: spring (to the right, standard)

Types of opening: ratchet

**Box:** 50 mm (R6)/38 mm (C6)

**Footprint:** 52 mm (R6)/40 mm (C6)

Note: ratchet system to prevent accidental release








#### HORIZONTAL SECTION



#### **STANDARD ACCESSORIES**







**TELESCOPIC LATCHING** 

OPTIONAL

SLEEVE

OPTIONAL



RATCHET

DOUBLE HANDLE CONTROL INSIDE AND OUTSIDE

SOFT CLOSE The brake system controls the rewinding of the frame, slowing Can be installed on: Model R6/C6 L MIN 60 cm Model C6 H MAX 140 cm

RECOMMENDED SIZE (cm)	L MIN	L MAX	ΗΜΑΧ
<b>R6 -</b> Box 50	60	180	260
C6 - Box 38	40	160	180

#### ACCESSORY COLOURS

BLACK STANDARD WHITE | IVORY | BROWN | BRONZE

#### Available to match the insect screen on request

Accessories are supplied in black as standard. On request, a customised colour can be chosen from the 4 available colours listed above, specifying this when ordering (price surcharge).

#### **AVAILABLE MESH AND TEXTILES**







ANER.



Look out black fibreglass net with high transparency

Look out grey fibreglass net with high transparency

ANOR.

FIL. Sand-coloured solar filter fabric made in fibreglass with PVC coating transparency 5%



OSCG.

Grey black-out shade in fibreglass fabric with PVC lamination 18x16 mesh

105

PLEASE SPECIFY AT THE TIME OF ORDER:

#### if you indicate opening size: The insect screen will be supplied 2 mm less than the opening width


#### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.


NB. Blackout and filter screens can be installed up to heights of no more than 140 cm

#### VERTICAL SECTION 50 BOX

R6







## Ш FFETRAD ш Π

**WINDOW** RANGE

**TECHNICAL CATALOGUE 2025** 





**RETRACTABLE 50 R6** Art. no. **I50C** 



50 mm retractable insect screen with vertical spring-loaded winding and ratchet handle latching system

EFFETRADE

RETRACTABLE 50 R6 WITH RATCHET

Suitable for: windows Slide: vertical Winding: spring Types of opening: ratchet Box: 50 mm Footprint: 50 mm Note: ratchet control to prevent accidental release. Extruded

accidental release. Extruded aluminium brackets for side and front assembly.






### WOOD




# HORIZONTAL SECTION

# side fastening




# HORIZONTAL SECTION

# front fastening



# **STANDARD ACCESSORIES**



ELECTRIC. WELD. MESH SIDES AND WINDPROOF BUTTONS



RATCHET



SOFT CLOSE

The brake system controls the rewinding of the frame, slowing the upward movement smoothly. Can be installed on: MIN WIDTH 60 cm


RECOMMENDED SIZE (cm)	L MIN	LMAX	H MAX
	60	180	260

N.B. Blackout and filter screens can be installed up to heights of no more than 140 cm

### ACCESSORY COLOURS

<b>BLACK</b>	Accessories are only	v available in black.
DERIOR	Accession and and only	y available in black.

### **MESH AND FABRICS**






FAS. Horizontally banded fibreglass net in black and white 18x16 mesh 1

OSCG. Grey black-out shade in fibreglass fabric with PVC lamination

PVC lamina 18x16 mesh

# **VERTICAL SECTION**

# front / side fastening



# FASTENING BRACKETS



fastening bracket wall striker and top guide (standard, for front fastening)

side guide fixing bracket (for side fastening)

# PLEASE SPECIFY AT THE TIME OF ORDER:

# if you indicate opening size:

The insect screen will be supplied in a larger width (+70 mm) and height (+50 mm) than the opening

# if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

The insect screen will be supplied, as standard, with brackets for front fastening.

When determining the above measurements, the dimensions in mm of the fixing brackets are not taken into account. **X6** RATCHET

CTABLE





**RETRACTABLE 50 L** Art. no. **I50K** 



The insect screen is a vertical spring-loaded, retractable insect screen with a 50 mm gap, with a wind brush in the guides and an adjustable foot for uneven thresholds.

WOOD

RETRACTABLE 50 WITH BRUSH Suitable for: French windows Sliding: vertical Winding: spring Opening system: twist

Box: 50 mm

**Size:** 50 mm

**Note:** wind brush in the guides and adjustable foot for uneven threshold. Extruded aluminium brackets for side and front assembly.






SPECIAL

# EFFETRADE


# **HORIZONTAL SECTION**

# side fastening



# HORIZONTAL SECTION

# front fastening



# **STANDARD ACCESSORIES**



LATCH COUPLING WITH ADJUSTABLE FOOT WINDPROOF BRUSH

I MAX

180



SOFT CLOSE

The brake system controls the rewinding of the screen, slowing the upward movement smoothly. Can be installed on: MIN WIDTH 60 cm

L MIN

60

RECOMMENDED SIZE (cm)

260


H MAX

109

# ACCESSORY COLOURS


BLACK Accessories are only available in black.

#### **MESH AND FABRICS**



# **VERTICAL SECTION**

# front / side fastening



# **FASTENING BRACKETS**



fastening bracket wall striker and top guide (standard, for front fastening)



side guide fixing bracket (for side fastening)

# PLEASE SPECIFY AT THE TIME OF ORDER:

# if you indicate opening size:

The insect screen will be supplied in a larger width (+70 mm) and height (+50 mm) than the opening

# if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

The insect screen will be supplied, as standard, with brackets for front fastening.

When determining the above measurements, the dimensions in mm of the fixing brackets are not taken into account.

#### N.B.

Į.

Blackout and filter screens can be installed up to heights of no more than 140 cm

ш





**R7/C7** Box of 50 Art. no. **R7** Box of 38 Art. no. **C7** 

Vertical spring-loaded insect screen with latching system ratchet handle e double guide for out-of-square spaces

**R7/C7** 

VERTICAL SPRING WITH RATCHET AND TELESCOPIC GUIDES

Suitable for: windows Sliding: vertical

Winding: spring

Types of opening: ratchet Box:

50 mm (R7)/38 mm (C7)

**Size:** 52 mm (R7)/40 mm (C7)






WOOD



# HORIZONTAL SECTION



# **STANDARD ACCESSORIES**








**TELESCOPIC SLEEVE** 

**TELESCOPIC GUIDE** 

OPTIONAL

RATCHET

VERTICAL SECTION  $\mathbf{R}^{7}$ 50 BOX





40

54



SOFT CLOSE

HANDLE INT./EXT.

The brake system controls the rewinding of the frame, slowing the upward movement smoothly. Can be installed on: **Model R7/C7** L MIN 60 cm **Model C7** H MAX 140 cm

RECOMMENDED SIZE (cm)	L MIN	LMAX	H MAX
<b>R7 -</b> Box 50	60	180	260
C7 - Box 38	50	180	180


# ACCESSORY COLOURS

BLACK STANDARD WHITE | IVORY | BROWN | BRONZE

Available to match the insect screen on request

Accessories are supplied in black as standard. On request, a customised colour can be chosen from the 4 available colours listed above, specifying this when ordering (price surcharge).

# **AVAILABLE MESH AND TEXTILES**





fibreglass net in black and white 18x16 mesh OSCG

FAS



Grey black-out shade in fibreglass fabric with PVC lamination 18x16 mesh




PLEASE SPECIFY AT THE TIME OF ORDER:

if you indicate opening size: The insect screen will be supplied 2 mm less than the opening width

### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

NB. Blackout and filter screens can be installed up to heights of no more than 140 cm ш





**R-EASY/C-EASY** Box of 50 Art. no. **R-EAS** Box from 38 Code art. **C-EAS** 

Mosquito screen with vertical chain winding and spring for fabric tensioning pedal-operated opening. External controls available on request.

R-EASY C-EASY VERTICAL SPRING WITH CHAIN

Suitable for: large windows and French windows

Slide: vertical

Winding: spring and chain

Opening system: foot pedal

Box:

50 mm (R-EAS)/38 mm (C-EAS)

Footprint: 52 mm (R-EAS)/40 mm (C-EAS)

**Note:** a spring is attached to keep the fabric taut when the insect screen is closed, making it easier to open with a foot pedal






# WOOD



# HORIZONTAL SECTION



# **STANDARD ACCESSORIES**





HANDLE

OPTIONAL

**TELESCOPIC SLEEVE** 




CHAIN INT./EXT.

HANDLE INT./EXT.




LATCH/SLEEVE





#### VERTICAL SECTION C-EASY 38 BOX



Ш	
Ш	
25	
20	
-0GUE 2025	
0 0	
CATAI	
U U	
CAI	
ΝH	
TEC	

FETRADE

RECOMMENDED SIZE (cm)	L MIN	L MAX	H MAX	
R-EASY - Box 50	40	180	260	
C-EASY - Box 38	40	160	180	

# ACCESSORY COLOURS

BLACK STANDARD WHITE | IVORY | BROWN | BRONZE

# Available to match the insect screen on request

Accessories are supplied in black as standard. On request, a customised colour can be chosen from the 4 available colours listed above, specifying this when ordering (price surcharge).

# **AVAILABLE MESH AND TEXTILES**









OSC. White black-out shade in fibreglass fabric with PVC lamination transparency 5%



FIL. Sand-coloured solar filter fabric made in fibreglass with PVC coating transparency 5%

FAS. Horizontally banded fibreglass net in black and white 18x16 mesh

OSCG. Grey black-out shade in fibreglass



if you indicate finished size: The insect screen will be supplied in the same size as specified in the order.

if you indicate opening size:

less than the opening width

NB. Blackout and filter screens can be installed up to heights of no more than 140 cm

PLEASE SPECIFY AT THE TIME OF ORDER:

The insect screen will be supplied 2 mm

113





**SMALLI** Art. no. **SI** 

The traditional insect screen with vertical slide action with return spring and telescopic latching sleeves and adjustable latching foot for offsets. Footprint from 40 mm

Ш

# SMALL1

Suitable for: windows Slide: vertical

Winding: spring

Types of opening: traditional/twist

Box: 38 mm

Footprint: 40 mm


**Note:** a spring is attached to keep the fabric taut when the insect screen is closed and makes it easier to open with the foot pedal.





# WOOD





# **STANDARD ACCESSORIES**






TELESCOPIC SLEEVE


ADJUSTABLE FOOT



SOFT CLOSE The brake system controls the rewinding of the frame, slowing the upward movement smoothly. Can be installed on: MIN WIDTH 60 cm MAX. HEIGHT 180

# **CLOSURE VARIANTS**





ш

# PLEASE SPECIFY AT THE TIME OF ORDER:

#### if you indicate opening size:

The insect screen will be supplied 2 mm less than the span of the compartment (for both the version with adjustable foot and the twist version).

### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

**Notes:** The recommended dimensions are the same for both the adjustable foot version and the twist version.





SMALL6 Art. no. S6

Vertical sliding spring-loaded insect screen for window with practical ratchet attachment.

# SMALL6


Suitable for: windows Slide: vertical Winding: spring Types of opening: ratchet Box: 38 mm Footprint: 40 mm





# WOOD





# **STANDARD ACCESSORIES**









#### SOFT CLOSE

The brake system controls the rewinding of the frame, slowing the upward movement smoothly. Can be installed on: MIN WIDTH 60 cm MAX. HEIGHT 180







Ţ.

#### if you indicate opening size:

The insect screen will be supplied 2 mm less than the opening width

### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

E EFFETRADE

# Insect screens SASH

Hinged insect screens **are the ideal solution for French windows located in frequently used spaces, such as leading out onto gardens or terraces**i. Thanks to their robust construction and magnetic closure, they offer maximum convenience and resistance to continuous use. Also available in single or double door versions, they fit perfectly into any architectural context.

# 120 | UN1CA

26 | SVINCOLA 28 | SVINCOLA L 29 | SVINCOLA Z





SCORREVOLE BATTENTE

Insect screen without floor guide with **double opening solution:** sliding and hinged

Suitable for: large doors and/or main windows

Types of opening: side sliding and hinged door with magnet

**Notes:** ideal for areas with frequent and/or low footfall



has been created Art. no. UNICA\_L-UNICA\_Z

L-FRAME VERSION Art. no. UNICA\_L Z-FRAME VERSION Art. no. UNICA\_Z



MULTI SASH VERSION OPTIONS







# without **floor guide**

The absence of a floor guide eliminates all obstacles, making the passage safe and smooth.





# two opening solutions sliding-sash large openings

The sliding version eliminates door clutter, while the hinged version ensures stability and fast opening. Ideal for areas with frequent traffic.



# Wind **resistant**

The mesh, fixed to the sash frame, makes it robust and wind-resistant.

# Ergonomic


Ergonomic handle for easy opening and closing. Designed to reduce wrist tension, it ensures a comfortable grip and effortless use.



# **OVERALL DIMENSIONS UNICA**

# HORIZONTAL SECTION (2 sashes)

# **TYPES OF OPENING**



RECOMMENDED SIZE (cm)	LMAX	ΗΜΑΧ
2 SASHES	300	300
4 SASHES	600	300

Above 240 cm in height it will be supplied with crossbar


# ACCESSORY COLOURS

BLACK | WHITE | IVORY | BROWN | BRONZE

# STANDARD Matching the insect screen

Unless otherwise specified when ordering, accessories are supplied in the colour that best matches the insect screen, chosen from the 5 *available colours shown in the table.* The combination is defined by our technical department.

# AVAILABLE MESH AND TEXTILES



# STANDARD ACCESSORIES





HANDLE

BOLT (for service door)



PLEASE SPECIFY AT THE TIME OF ORDER:

**if you indicate opening size**: The insect screen will be supplied 2 mm less than the opening width

# if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.



SVINCOLA Art. no. SVZ-SVL

**SVINCOL A Z FRAME** Art. no. **SVZTC** 

SVINCOLA A L FRAME Art. no. SVLTC

Hinged insect screen with 16 opening variants. Available in 1, 2, 3 or 4 doors. FLOOR GUIDE Frame compatible with panels up to 4 mm thickness

# SVINCOLA

Suitable for: large open spaces Types of opening: magnetic swing door Footprint: 39 mm Notes: ideal for verandas and patios with frequent traffic

# **RAL STANDARD BIA** WHITE 9010 BIAOP WHITE 9010 Matt AVO IVORY 1013 AVOP IVORY 1013 Matt MAR BROWN 8017 MAOP BROWN 8017 Matt BROVE BRONZE Painted **GR16** GREY 7016 Matt NFR BLACK 9005



# WOOD





# 3-POINT ARCH

# **PRODUCT DETAILS**



CENTRE STOP UNLOCKABLE

MATCHING HINGES QUICK-RELEASE

# **OPTIONS**

- > Variable angle
- > Double crossbar
- > Frame closed at the bottom.

SVINCOLA Z Art. no. SVZTC

SVINCOLA A L FRAME Art. no. SVLTC

RECOMMENDED SIZE (cm)	L MAX	ΗΜΑΧ
L and Z SVINCOLA (1 SASH)	130	280

# ACCESSORY COLOURS

BLACK Accessories are only available in black.



PETG.



Ţ.



ARG.



FAS. Horizontally banded fibreglass net in black and white 18x16 mesh

NOR.

Grey fibreglass net **18x16 mesh** 

ACC. AISI 304 steel net 16x16 mesh

# PLEASE SPECIFY AT THE TIME OF ORDER:

# if you indicate opening size:


The insect screen will be supplied 2 mm less than the opening width

#### if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

N.B. If the dimensions of the products are close to the recommended limits, it is recommended to contact the company before placing the order.





**SASH** RANGE


SVINCOLA

ш






# HORIZONTAL SECTION



# **VERTICAL SECTION**



# PROFILES USED

L-FRAME


centre stop





sash profile

crossbar profile






# **PRODUCT DETAILS**






# HORIZONTAL SECTION



# **VERTICAL SECTION**



# **PROFILES USED**


# **Z-FRAME** 39 mm




centre stop

sash profile

crossbar profile





# **PRODUCT DETAILS**



E EFFETRADE

# Insect screens FIXED


The fixed insect screens by Effe have slim profiles and irregular shapes. Ideal for both small rooms and large areas, easily installed anywhere

> 132 | 133 | 133 | 134 |

| FIXED | FIXED HORIZONTAL | FIXED VERTICAL | LEGO

**FIXED** Art. no. FIXED **FIXED Horizontal** Art. no. FIS-O **FIXED Vertical** PRODUCT CODE: FIS-V





Single panel fixed insect screen custom-made, also available in irregular shapes



**FIXED** 

Suitable for: windows located in ventilated areas BIAOP

Matt

AVO

AVOP

Matt

MAOP

BROVE

BRONZE

Painted GR16

Matt

NFR

# **FIXED** Horizontal




# **FIXED** Vertical



# **PROFILES USED**







40 mm



30 mm


12.2 r






29 mm 16 mr 2-WAY GUIDE CODE THF







RECOMMENDED SIZE (cm)	L MIN	LMAX	H MIN	HMAX
FIXED	15	250	15	250
FIXED HORIZONTAL (per single panel)	35	130	50	250
FIXED VERTICAL (per single panel)	35	80	50	100

# ACCESSORY COLOURS

BLACK Accessories are only available in black.

# **AVAILABLE FABRICS**



18x16 mesh

# CROWNING



# **OPTIONS**

Į.

- > Variable angle (Only valid for FIXED)
- > Double crossbar

# PLEASE SPECIFY AT THE TIME OF ORDER:

if you indicate opening size: The insect screen will be supplied 2 mm less than the opening width

# if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

N.B. If the dimensions of the products are close to the recommended limits, it is recommended to contact the company before placing the order.

For heights above 150 cm, the crosspiece is standard.

FFETRADE

ш


Т

Π



# LEGO

Art. no. LEGO VARIANT WITH MAGNET ON 4 CORNERS Art. no. LEG-A VARIANT WITH PERIMETER MAGNET Art. no. LEG-B FIXING BRACKET Art. no. STF\_LEG



Single panel fixed insect screen custom-made, also available in irregular shapes and magnets on the 4 corners or perimeter




LEGO

Suitable for: windows located in ventilated areas

Locking systems: fixing bracket / 4-corner magnet / perimeter magnet

**Notes:** can be supplied with 4-corner or perimeter magnet

# **PROFILES USED**



LEGO PROFILE CODE LEG

# **FASTENING TYPE**



VARIANT WITH MAGNET ON 4 CORNERS Art. no. LEG-A



VARIANT WITH PERIMETER MAGNET Art. no. LEG-B



VARIANT WITH FIXING BRACKET (on request) Art. no. STF\_LEG

RECOMM	L MIN	L MAX	H MIN	H MAX		
			15	250	15	250
ACCESSO	DRY COLOURS					
BLACK   WHI	TE   IVORY   BROWN   B	RONZE				
Unless otherwise best matches th	Matching the insect scu e specified when ordering, acce le insect screen, chosen from th n is defined by our technical de	essories o he 5 avai	lable colou			
	NOR. Grey fibreglass net 18x16 mesh					
	MET. Dark grey metal net 18x16 mesh		ARG. Light silve wire net 18x16 mes			
	PETG. Grey Pet Screen net, polyester with high- strength PVC coating 14.5x10 mesh		polyester	Screen net, r with high- PVC coating <b>nesh</b>	3	
	ACC.		FAS.			

FAS. Horizontally banded fibreglass net in black and white 18x16 mesh

# CROWNING



# **OPTIONS**

- > Variable angle
- > Double crossbar



# PLEASE SPECIFY AT THE TIME OF ORDER:

if you indicate opening size: The insect screen will be supplied 2 mm less than the opening width

# if you indicate finished size:

The insect screen will be supplied in the same size as specified in the order.

N.B. If the dimensions of the products are close to the recommended limits, it is recommended to contact the company before placing the order.

For heights above 150 cm, the crosspiece is standard.



AISI 304 steel net

E EFFETRADE

# Insect screens PROFILES AND PREPARATION



# HORIZONTAL SECTION

# FREE

**2-sided profile installation** Art. no. **050S** 


RETRACTABLE


RETRACTABLE

**2-sided profile installation** 

RETRACTABLE

**2-sided profile installation** Art. no. 050 PV / 050 PC






opening size The insect screen will be supplied in a larger width (+ 80 mm) and height (+ 65 mm) than the opening if the finished size is indicated The insect screen will be supplied

in the same size.

**45L PRIME** 

# VERTICAL SECTION



**HORIZONTAL SECTION** 

# Art. no. **050PL** 20 **OPENING SIZE** FINISHED SIZE L MAX **H** MIN Η ΜΑΧ 180 cm 150 cm 280 cm

**opening size** The insect screen will be supplied in a larger width +80 mm and in height +35 mm of the **finished** finished size the insect screen will be supplied with the same measurement as indicated in the order. When determining the above measurements, the dimensions in mm of the fixing brackets are not taken into account.

# **45V PRIME VERTICAL SECTION** HORIZONTAL SECTION 0 20 ΗT 0 **OPENING SIZE FINISHED SIZE** 40 FINISHED SIZE

Į.


L MIN	L MAX	H MAX
60 cm	160 cm	250 cm


light measurement The insect screen will be supplied in a larger width +80 mm and in height +45 mm of the span finished size the insect screen will be supplied with the same size as indicated in the order


# HORIZONTAL SECTION

FREE


**RETRACTABLE** 3-sided profile installation Art. no. 3\$50







VERTICAL SECTION



L MIN L MAX	H MAX
60 cm 160 cm	250 cm
(+80 mm) and in height (+40 mm finished size The insect screen v in the order.	will be supplied in a larger width n) vill be supplied in the same size stated


# 

# HORIZONTAL SECTION

н

# 45V PRIME RETRACTABLE

**3-sided profile installation** Art. no. **3V50P / 3V50PC** 



L MIN		l	L MAX	ΗΜΑΧ	< Comparison of the second sec
60 cm			160 cm	250 cm	

**opening size** The insect screen will be supplied in a larger width +80 mm and in height +40 mm of the span

**finished size** the insect screen will be supplied with the same size as indicated in the order



#### INSTALLATION ON 2 SIDES + 1 cm M.F

#### INSTALLATION ON 3 SIDES + 4 cm M.F



**PROFILE USED** 

#### ACCESSORY COLOURS

BLACK STANDARD WHITE | IVORY | BLACK | BROWN

Available to match the insect screen on request

Accessories are supplied in black as standard. On request, you can choose a customised colour from the 4 available above, specifying it at the time of the order (price increase).

aluminium end sleeves

VERTICAL SECTION

>


**OPTIONS** 



#### HORIZONTAL SECTION

## FREE+

**RETRACTABLE** 2-sided profile installation Art. no. 080+



F		
40	FINISHED SIZE	40

L MAX	ΗΜΑΧ
200 cm	500 cm


**opening size** The insect screen will be supplied in a larger width +80 mm and in height +10 mm than the opening in the **finished size** the insect screen will be supplied with the same size as indicated in the order

	HORIZONTAL SECTION FREE RETRACTABLE 2-sided profile installation Art. no. 080S
	8 SPENING SIZE 40 40 40 50 51 51 51 51 51 51 51 51 51 51
	<b>L MAX H MAX</b> 160 cm 500 cm
	opening size The insect screen will be supplied in a larger width +80 mm and in height +10 mm (please specify if you have different requirements) finished size the insect screen will be supplied with the same size as indicated in the order
VERTICAL SECTION	HORIZONTAL SECTION 45L PRIME RETRACTABLE 2-sided profile installation Art. no. 080PL
	0 0 0 0 0 0 0 0 0 0 0 0 0 0
SHED SIZ	L MAX         H MIN         H MAX           160 cm         150 cm         280 cm
	<ul> <li>Opening size The insect screen will be supplied in a larger width +80 mm and in height +10 mm (please specify if you have different requirements) finished size the insect screen will be supplied in the same size as indicated in the order</li> </ul>
	HORIZONTAL SECTION 45V PRIME RETRACTABLE 2-sided profile installation Art. no. 080PV / 080PC
ING SIZE	
ODE NI	L MIN         L MAX         H MAX           60 cm         160 cm         250 cm
	opening size The insect screen will be supplied in a larger width +80 mm and in height +10 mm (please specify if you have different requirements) finished size the insect screen will be supplied in the same size as indicated in the order

143

0.10 80 PROFILES AND PREPARATION


#### **VERTICAL SECTION**



#### **HORIZONTAL SECTION**

FREE






if the finished size is indicated The insect screen will be supplied in the same size.

**HORIZONTAL SECTION** 

#### RETRACTABLE **45L PRIME**

3-sided profile installation Art. no. 3L80P



11

**VERTICAL SECTION** 





if the finished size is indicated The insect screen will be supplied in the same size.

HORIZONTAL SECTION

#### RETRACTABLE **UNA**


**3-sided profile installation** Art. no. 3V80\_UNA





if the finished size is indicated The insect screen will be supplied in the same size

#### **VERTICAL SECTION**



#### HORIZONTAL SECTION

### 45V PRIME

**RETRACTABLE 3-sided profile installation** *Art. no.* **3V80P / 3V80PC** 




(+80 mm) and in height (+40 mm) if the finished size is indicated The insect screen will be supplied in the same size.


# PROFILE FOR FRONT APPLICATION



- > Please specify the choice when ordering.
  - N.B. On masonry only, it is recommended to increase the width by at least 3 cm and the height by 1.5 cm on each side in order to achieve optimal fixing.

# PROFILES USED





CODE F10400

50 mm for FEEL


CODE F10399

81 mm for FEEL

50








CODE ONE 2.0/195

profile covers: ONE 2.0/50 - ONE 2.0/80 CODE ONE 2.0/50

**50 mm for the models:** FREE - PRIME VERTICAL 145 PRIME SIDE 145



CODE TUB6020 boxed 60x20 mm

60

20

CODE ONE 2.0/50

**80 mm for the models:** FREE - PRIME VERTICAL 145 PRIME SIDE 145

### **AVAILABLE COLOURS**


#### **RAL STANDARD SPECIAL** WOOD GRA **R726 BIRV** BIA GREY **RENOLIT Light** WHITE Rough WHITE 9010 Raphael 9010 **GMA** BIAOP **DW16** BRO37 **WHITE 9010** GREY **BRONZE 37 RENOLIT Dark Bushhammered** Matt ARG **MD37** AVO TDM SILVER WALNUT Dark DARK BROWN **IVORY 1013** Oxidised Rough AVOP BRO GRIAR R615 **IVORY 1013** BRONZE **GREY 7001** WALNUT Rough Matt Oxidised C317R MAR GRILU CHERRY **BROWN 8017 GREY 7035** Flamed MAOP CIER VER. **BROWN 8017 Royal CHERRY** Green 6005 Matt BROVE MRA BRONZE **BROWN** Raphael Painted **GR16 MMA GREY 7016** BROWN Matt **Bushhammered** NER. **VRA GREEN Raphael BLACK 9005**

Following new market trends, we have updated the colour categories of our insect screens, selecting finishes that combine style and functionality. This allows us to offer you solutions even more in line with your needs. All colour shades are subject to slight variations. The company reserves the right to make changes without prior notice.

### **AVAILABLE MESH**



fibreglass net 18x16 mesh



Black fibreglass net 18x16 mesh



ANOR.

Look out grey fibreglass net with high transparency



#### ANER.

Look out black fibreglass net with high transparency



PNOR. Pleated grey fibreglass net with 15 mm pleats



#### PNER.

Pleated black fibreglass net with 15 mm pleats



ARG. Light silver wire net 18x16 mesh



#### MET.

Dark grey metal net 18x16 mesh





#### FAS.

Horizontally banded fibreglass net in black and white 18x16 mesh



#### PETG. Grey Pet Screen net, polyester with highstrength PVC coating

14.5x10 mesh



#### PETN.

Grey Pet Screen net, polyester with highstrength PVC coating 14.5x10 mesh



#### TUFF. Black polyester net coated with durable vinyl, ideal for use in high traffic areas.

We only use the highest quality mesh and fabrics: fibreglass, black and white wrapped mesh, aluminium mesh (light and dark), stainless steel nets and Pet Screen. Filter and blackout fabrics are also available.

### **AVAILABLE FABRICS**



White coloured sun filter fabric made in fibreglass with PVC coating **5% transparency** 

#### OSC.

White black-out shade in fibreglass fabric with PVC lamination **transparency 5%** 

#### FIL.

Sand-coloured solar filter fabric made in fibreglass with PVC coating **5% transparency** 

0
Gr

#### OSCG.

Grey black-out shade in fibreglass fabric with PVC lamination **18x16 mesh** 

We only use the highest quality mesh and fabrics: fibreglass, black and white wrapped mesh, aluminium mesh (light and dark), stainless steel nets and Pet Screen. Filter and blackout fabrics are also available.

TECHNICAL CATALOGUE 2025

Insect screens can break for various reasons: accidental impacts, incorrect use, or simply weather conditions that affect their functioning.

We have set up a dedicated department for this. Experienced personnel will ensure that the products are repaired and perfectly reusable.

EFFETRADE

152

# Insect screens ESIGE REPAIRS

EFFETRADE

#### **1. ORDERS**

Customer requests concerning any communication of a commercial nature (fax, email, verbal orders) will be brought to the attention of the sales management. For orders received by fax or email, the management will print the communication. Verbal orders will be faithfully recorded by an operator on standard forms in order to be able to confirm every element stated or identified about the needs expressed by the client promptly.

Management will examine the order request received and if feasible, the order form will be submitted to the customer for acceptance and confirmation.

The customer will have a maximum of 5 hours upon receipt of the confirmation request to accept, make changes to, or refuse the order.

#### 2. DELIVERY TIMES

Custom-made products in standard colours: delivery is envisaged within a maximum of 7 working days, for special colours (RAL and WOOD) a maximum of 40 working days is required for delivery.

#### **3. PAYMENTS**

In the event that payment is not made within the agreed time, Effe Trade will apply bank charges for default with the interest rate (T.E.G.M.) applied at the time of default.

Pending further clarification, all current orders of the defaulting customer will be suspended.

#### 4. WARRANTY

The warranty applies to mechanical parts and aluminium profiles for a period of 24 months. It is voided in the event of tampering or interventions carried out by unauthorised persons without the manufacturer's consent and on all products without the production label.

Transport, removal and installation costs are not part of the expenses recognised under warranty.

Upon arrival of the goods, it is the responsibility of the customer to check the integrity of the product; any report must be made within 8 days of receipt of the goods, on the delivery note, possibly countersigned by the carrier and sent by fax to Effe Trade.

Effe Trade reserves the right to authorise any returns and will provide the relevant provisions.

N.B. The company reserves the right to make any changes to this catalogue without prior notice. All disputes will be settled exclusively by the court of Taranto.


This catalogue is protected by copyright law: Law No. 633 of 22/4/1942 and Special Law No. 1842 of 14/4/1942; reproduction, even partial, is therefore strictly forbidden.

# TERMS AND CONDITIONS OF SALE



# **EFFE TRADE** at your fingertips





More benefits for **your business** 

# **RESERVED AREA**

**PORTAL** is the digital platform reserved for **effe Trade customers** 

It allows autonomous management of orders, quotations and documents, as well as quick access to news and information materials. It can be accessed from any device and provides complete and immediate control over business interactions with the company, quickly, easily, and securely.



#### TARANTO

C.so Europa ang. V.le Jonio - Zona P.I.P. 74023 Grottaglie (TA) tel. +39 099 5623859 | fax. +39 099 5624245 info@effetrade.it













E EFFETRADE